

**Energy (Barmer) Limited**

Village & Post : Bhadresh, Post Box No. 30,

Distt : Barmer – 344001 (Rajasthan)

CIN : U31102MH1996PLC185098

Phone : +91 2982 229100

Website : www.jsw.in**Ref: JSWE(B)/ENV/23-24/008****Date: 19.06.2023****To,****Regional Officer****Rajasthan State Pollution Control Board****Opp. JDVVNL Office, Jasol Road, Near Jasol Fanta,****Balotara - 344 022**

Sub: Annual compliance for Authorization & CTO “Segregation, Packing, transportation, storage, treatment & disposal of Bio medical in accordance with rule 7 & 8 of BMW Rules, 2016” for the period of 1st Jan-2022 to 31st December-2022 of 1080 MW Lignite based Power Plant at Village-Bhadresh, District Barmer.

Authorization Letter No. BMW/2018-19/Balotra/BMW/3.**Consent to Operate: Order No. 2022-2023/Balotra/9247**

Dear Sir,

We herewith enclosed annual compliance for Authorization - **“Segregation, Packing, transportation, storage, treatment & disposal of Bio medical in accordance with rule 7 & 8 of BMW Rules, 2016”** of JSW ENERGY (BARMER) LIMITED, Rajasthan – Year 2022.

Please acknowledge the same.

Thanking you.

For JSW ENERGY (BARMER) Ltd.

Vinod Kumar Jindal

DGM (Environment & Chemistry)

Encl. Annexure I Annual return form-IV
Annexure II Record Register for MBW
Annexure III Training Attendance Sheet

CC. The Member Secretary, Rajasthan State Pollution Control Board, Jaipur**Part of O.P.Jindal Group**

Regd. Office : JSW Energy (BARMER) Limited., JSW Center, BKC Complex, Bandra (E), Mumbai – 400051

Jaipur Office: Office No. 2 & 3, 7th Floor, Man Upasana Plaza, C-44, Sardar Patel Marg, C-Scheme, Jaipur – 302 001 Ph : 0141 2369772 Fax 0141 2369774

Compliance to Authorization for, File No. F(BMW)/Barmer(Barmer)/35(1)/2017-2018/230-232,

Dt: 20/04/2018 - Authorization Letter No. BMW/2018-2019/Balotra/BMW/3

S N	Condition	Compliance
1.	This authorization is valid for operation of the Clinic with 2 (two) number of beds.	Being Complied
2.	Segregation, packing, transportation, storage, treatment & disposal of bio medical waste shall be in accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTDF) established for the area viz .	Complied - Record - Enclosed
3.	The mercury bearing waste arising due to breakage of thermometers, pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste. The mercury bearing waste is to be segregated, collected , stored and disposed in accordance with the provisions of Hazardous Waste and other wastes(Management and Transboundary Movement) Rules, 2016.	Complied
4.	The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form - IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules,2016, in case not already developed.	Being Complied- Form IV enclosed
5.	The hospital shall maintain the record of biomedical waste as per Rule 14 & shall be produced during the inspection.	Record - Enclosed
6.	That the hospital shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW Rules, 2016.	Not being used
7.	That the hospital shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one years from the date of the notification of the BMW Rules, 2016.	Will Be Complied
8.	That the hospital shall provide training to all its health care workers and others, involved in handing of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.	Complied - Training Details enclosed
9.	In case of expansion in bed capacity or increase in pollution load, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & revised Authorization under BMW Rules,2016.	Complied - Will report.
10	That the hospital shall comply the provisions of Bio-medical Waste Management Rules, 2016.	Complied
11	That the hospital shall comply with the standards for treatment disposal of Bio-medical Waste as specified under schedule II of Bio-medical Waste Management Rules, 2016.	Being Complied

12	That infected hospital liquid waste must be given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection as prescribed in part-2 of schedule-I of the Rules.	Complied
13	That the hospital shall install adequate fire protection equipment (such as smoke detectors, fire extinguishers, sand bucket, fire alarm, Water sprinklers etc.) at salient places with in the premises of the hospital, even at bio-medical storage area, in accordance with the fire safety regulations and to submit certificate of the competent authority in this respect to this office.	Complied - Fire extinguisher provided
14	That the hospital management shall continue to segregate the bio medical waste as per provisions of BMWR, as amended till date, and hand it over regularly to operator of common Bio Medical waste disposal facility, after due packing in colour coded bags, as prescribed in schedule IV (Rule-6) of the BMWR.	Complied
15	That the domestic waste water shall be treated through septic tank & soak pit & zero discharge shall be maintained.	Complied
16	The Bio Medical Waste shall be disposed at deep burial pit with in premises as per procedure laid down in rules till Common Biomedical Waste Treatment and Disposal Facility agreement shall be taken by the hospital.	Being Complied - Form IV enclosed
17	That the hospital shall maintain record of collection, storage and transportation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBWTDF) for disposal. The quarterly abstract related to the collection, storage, transportation and disposal shall be submitted to the H.O. and Regional Office in the format given below:	Complied - Record Enclosed
18	This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit / project proponent.	Complied - being Followed

Compliance to CTO for, File No. F(BMW)/Barmer(Barmer)/35(1)/2017-2018/516-517,

Dt: 14/07/2022 - Order No. 2022-2023/Balotra/9247

SN	Condition	Compliance
	That this Consent to Operate is valid for a period from 05/11/2022 to 31/10/2027 .	Valid
2.	That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below. Particular: CLINIC , Type: Service , Quantity with Unit : 2.0 beds	--
3.	That this consent to operate is for existing plant, process & capacity and separate consent to establish/operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.	Will be Complied
4.	That this consent will not be used as an evidence for ascertaining the land title and its use.	Noted- Will Followed
5.	That the HCF shall provide infrastructural facility at each point of generation of BM waste for collection, segregation and treatment of generated BM waste i.e. colour coded bags/bins, needle cutter, chemical disinfection facility etc. as per provisions of BMW Rules.	Being Complied
6.	That the domestic waste water shall be treated through septic tank & soak pit & zero discharge shall be maintained	Domestic waste is being treated and used for green belt development inside the plant. There would be no discharge outside the plant premises.
7.	The Bio Medical Waste shall be disposed at deep burial pit with in premises as per procedure laid down in rules till Common Biomedical Waste Treatment and Disposal Facility agreement shall be taken by the hospital.	Being complied. Form IV enclosed
8.	That if disposal of Bio Medical waste is observed in violation of provisions of BMW Rules 2016, the unit would be liable for appropriate legal action under said provisions of EP Act, 1986.	Noted.
9.	That this consent is valid as per the document submitted by the unit proponent. The unit shall be inspected by the Board Officials to check the compliance & the bed capacity of the Hospital/HCF. If any noncompliance found the CTO may be revoked.	Noted.
10.	That the HCF shall provide chemical treatment facility for the generated waste water of infectious nature as per BMW Rules.	Being complied
11.	That the HCF shall not dig / install any bore-well for abstraction of Ground water without prior permission from Central Ground Water Authority.	Noted- Not Being Used.

12.	That the HCF shall construct & maintain rain water harvesting/recharge system.	Rainwater Harvesting is constructed.
13.	That HCF shall obtain/take, membership of common Bio medical treatment and disposal facility duly approved by local body/LSG as and when established and made operational.	Noted.
14.	That all orders, direction, guidelines and standards laid down by the Board from time to time shall be complied with.	Noted-being complied
15.	Unit shall comply all the conditions of authorization under BMW Rules issued by this office time to time	Being Complied.
16.	That this consent shall be subject to compliance of directions or order passed by National Green Tribunal/court of law in the matter, if any.	Noted.
17.	That the HCF shall obtain Environmental Clearance from competent authority under EIA notification dated 14.09.2006 for any such activity which attracts Environmental Clearance under EIA notification dated 14.09.2006.	Noted.
18.	That any incorrect information submitted in the application form or declaration /undertaking shall make the HCF liable for legal action.	Noted.
19.	That the HCF shall comply with provisions of BMW Rules' 2016 as amended till date for treatment of effluent/waste water generated from the HCF.	Noted- Being complied
20.	That this consent is subject to the post audit of pollution control measures and consent conditions. In case the unit is found to have flouted consent conditions or not having adequate pollution control measures during inspection, the consent will be revoked and direction shall be issued under section 31 A of the Air Act/33 A of the Water Act.	Noted- Being Complied
21.	That suitable flow measuring devices/meters shall be installed on the intake source of water and record shall be maintained for the same.	Being Complied
22.	That the HCF shall provide separate storage site for storage of generated Bio-Medical Waste as per BMW Rules.	Being Complied
23.	That the HCF shall not dispose of any kind of waste material outside the premises to avoid any possible nuisance to nearby areas.	Being Complied
24.	That the HCF shall maintain the category wise record of Bio Medical Waste generated, treated and disposed on daily basis as per provisions of BMW Rules.	Being Complied. Copy of Record Register Enclosed- ANNEXURE-1
25.	That HCF shall provide separate infrastructural facility for collection, treatment and disposal for generated municipal waste as per provisions of MSW Rules.	Being Complied

26.	That the HCF shall not install and operate any source of air pollution without prior consent from the State Board.	Noted - Being Complied
27.	In case of any calamity due to BMW and infectious water disposed in haphazard manner only the HCF will be liable.	Noted.
28.	In any case BMW disposal by burning is not allowed if found to do so consent will be revoked and strict action will be taken.	Noted - Being Complied
29.	In any case open dumping of BMW is not allowed if found to do so consent will be revoked and in any circumstances due to open dumping of BMW only the HCF would be liable.	Noted - Being Complied
30.	That this consent is being issued on the basis of documents/ information uploaded/ submitted by the applicant. The liability of veracity and correctness of the uploaded/submitted document/ information shall solely be of the applicant only.	Noted.
31.	Any wrong or partial information/ concealment of facts or deviation from material facts shall make this consent null & void.	Noted.
32.	That this consent shall cease to be valid in case of any change in product/process/operation/raw material/ capacity/ area or in information/ document submitted/uploaded at the time of seeking consent.	Noted.
33.	That proponent shall obtain the necessary permission from the other departments/authorities in concern if HCF activity falls/comes under such area/ purview or scope of such departments/authorities in concern from time to time. The sole responsibility of obtaining the permission from the departments/authorities in concern is of project proponent. The project proponent shall ensure the operation/establishment of the HCF only after obtaining the permission from the departments/authorities in concern (if applicable).	Noted - Being Complied
34.	That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained under Section 27(2) of the Water Act to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of Water Act.	Noted.
35.	That the grant of this Consent to Operate is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.	Noted - Being followed
36.	That the grant of this Consent to Operate shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Water Act or the Rules made thereunder.	Noted - Being followed

Annexure I

**From –IV
(See rule 13)
Annual Report**


[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars																																																	
1.	Particulars of the Occupier	:																																																
	(i) Name of the authorized person (occupier or operator of facility)	: VEERESH DEVARAMANI																																																
	(ii) Name of HCF or CBMWTF	: JSW ENERGY (BARMER) LIMITED, OHC																																																
	(iii) Address for Correspondence	: Bhadresh Tehsil: Barmer Dist: Barmer																																																
	(i) Address of Facility	: Bhadresh Tehsil: Barmer Dist: Barmer																																																
	(ii) Tel. No. Fax. No.	: 02982-229222																																																
	(V) E-mail ID	: Vinod.jindal@jsw.in																																																
	(i) URL of Website	:																																																
	(ii) GPS coordinates of HCF of CBMWTF	: Longitude:71.31 Latitude:25.89																																																
	(iii) Ownership of HCF of CBMWTF	: Private																																																
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	: Authorization No. BMW/2018- 2019/Balotra/BMW/3. Valid Up to: Till it is cancelled /revoked.																																																
	(v) Status of Consents under Water Act and Air Act.	: Valid up to: 31/10/2027.																																																
2.	Type of Health Care Facility	: Occupational Health Center																																																
	(i) Bedded Hospital	: No. of Beds: Two																																																
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: ---																																																
	(iii) License number and its date of expiry.	: ----																																																
3.	Details if CBMWTF	: N/A																																																
	(i) Number healthcare facilities covered by CBMWTF	: ---																																																
	(ii) No. of beds covered by CBMWTF	: ---																																																
	(iii) Installed treatment and disposal capacity of CBMWTF	: NA Kg per day																																																
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	: NA Kg/day																																																
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow category: 3.505 kg Red Category: 0.315 Kg White: 0.200 kg Blue Category: 0.320 Kg General Solid waste- Nil																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility	:																																																
	(i) Details of the on-site storage facility	: Size : --- Capacity: -- Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Disposal Facilities	: <table border="1"> <thead> <tr> <th>Type of treatment</th><th>No of Units</th><th>Capacity Kg/day</th><th>Quantity treated or disposed In Kg per Annum</th></tr> </thead> <tbody> <tr> <td>Incinerators</td><td></td><td></td><td></td></tr> <tr> <td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr> <td>Autoclaves</td><td></td><td></td><td></td></tr> <tr> <td>Microwave</td><td></td><td></td><td></td></tr> <tr> <td>Hydroclave</td><td></td><td></td><td></td></tr> <tr> <td>Shredder</td><td></td><td></td><td></td></tr> <tr> <td>Needle tip cutter or Destroyer</td><td></td><td>--</td><td></td></tr> <tr> <td>Sharps encapsulation or concrete pit</td><td></td><td>--</td><td></td></tr> <tr> <td>Deep Burial pits:</td><td>1</td><td>8m2</td><td>4.340 kg</td></tr> <tr> <td>Chemical disinfection:</td><td></td><td>--</td><td></td></tr> <tr> <td>Any other treatment</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of treatment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or Destroyer		--		Sharps encapsulation or concrete pit		--		Deep Burial pits:	1	8m2	4.340 kg	Chemical disinfection:		--		Any other treatment			
Type of treatment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or Destroyer		--																																																
Sharps encapsulation or concrete pit		--																																																
Deep Burial pits:	1	8m2	4.340 kg																																															
Chemical disinfection:		--																																																
Any other treatment																																																		


		equipment:									
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) None									
	(iv) No of vehicles used for collection and transportation of biomedical waste.	N/A									
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	<table> <tr> <th></th><th>Quantity Generated</th><th>Where disposal</th></tr> <tr> <td>Incineration Ash</td><td>NA</td><td>N/A</td></tr> <tr> <td>ETP Sludge</td><td></td><td></td></tr> </table>		Quantity Generated	Where disposal	Incineration Ash	NA	N/A	ETP Sludge		
	Quantity Generated	Where disposal									
Incineration Ash	NA	N/A									
ETP Sludge											
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	N/A									
	(vii) List of member HCF not handed over bio-medical waste.	N/A									
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.										
7.	Detail trainings conducted on BMW										
	(i) Number of training conducted on BMW Management.	01									
	(ii) Number of personnel trained	9									
	(iii) Number of personnel trained at the time of induction	--									
	(iv) Number of personnel not undergone any training so far.	0									
	(v) Whether standard manual for training is available ?	Yes									
	(vi) Any other information)	--									
8.	Details of the accident occurred during the year	N/A									
	(i) Number of Accidents occurred	0									
	(ii) Number of the persons affected	0									
	(iii) Remedial Action taken (Please attach details if any)	NA									
	(iv) Any Fatality occurred, details.	NA									
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A									
	Details of Continuous online emission monitoring systems installed	--									
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	--									
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	--									
12.	Any other relevant information	--									


Certified that the above report is for the period from January – 2022 to December – 2022


Vijay Chintala
 Head of Plant
 JSW Energy (Barmer) Limited
 Bhadresh – Barmer 344 001

 Bio Medical Waste Register Month : <u>JANUARY - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
2.1.22	200gm	—	—	—	200gm	Bulgar	
4.1.22	—	—	—	—	—		
6.1.22	50gm	—	—	—	50gm		
8.1.22	80gm	—	10gm	—	90gm	Bulgar	
10.1.22	—	—	—	—	—		
12.1.22	60gm	—	10gm	—	70gm		
14.1.22	20gm	—	—	—	20gm	Bulgar	June 14.1.22
16.1.22	80gm	—	20gm	—	100gm		} — June 30.1.22
18.1.22	120gm	40gm	20gm	—	180gm		
20.1.22	50gm	—	—	—	50gm	Bulgar	
22.1.22	20gm	—	—	—	20gm		
24.1.22	60gm	10gm	—	—	70gm	Bulgar	
26.1.22	20gm	—	—	—	20gm		
28.1.22	70gm	20gm	10gm	—	100gm	Bulgar	
30.1.22	40gm	10gm	20gm	—	70gm		
TOTAL	870gm	80gm	30gm		1040gm		

Annexure II


 Bio Medical Waste Register Month : <u>FEBRUARY '22</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
1.2.22	80gm	—	—	—	80gm	Bulgar] u
03/02/22	—	—	—	—	—	—	
05/02/22	20gm	—	—	—	20gm	—	
07/02/22	10gm	—	—	—	10gm	Bulgar	
09/02/22	—	—	—	—	—	—	
11/02/22	40gm	—	—	—	40gm	—] u
13/02/22	30gm	—	—	—	30gm	—	
15/02/22	20gm	—	10gm	—	30gm	Bulgar] u
17/02/22	—	—	—	—	—	—	
19/02/22	30gm	—	—	—	30gm	—	
21/02/22	—	—	—	—	—	—] u
23/02/22	20gm	—	10gm	—	30gm	Bulgar	
25/02/22	—	—	—	—	—	—] u
27/02/22	10gm	—	—	—	10gm	Bulgar	
TOTAL	260gm	—	20gm	—	280gm		

 Bio Medical Waste Register Month : <u>MARCH'22</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
1.3.22	50gm	—	—	—	50gm	Bukga	}
03/03/22	30gm	—	—	—	30gm	Bukga	
05/03/22	40gm	—	—	—	40gm	Bukga	
07/03/22	10gm	—	—	—	10gm	Bukga	
09/03/22	40gm	—	—	—	40gm	Bukga	
11/03/22	20gm	—	—	—	20gm	Bukga	}
13/03/22	30gm	—	20gm	—	50gm	Bukga	
15/03/22	30gm	—	—	—	30gm	Bukga	
17/03/22	10gm	—	—	—	10gm	Bukga	
19/03/22	30gm	5gm	10gm	—	45gm	Bukga	
21/03/22	20gm	—	—	—	20gm	Bukga	}
23/03/22	10gm	—	—	—	10gm	Bukga	
25/03/22	40gm	—	—	—	40gm	Bukga	
27/03/22	10gm	—	—	—	10gm	Bukga	
29/03/22	20gm	—	—	—	20gm	Bukga	
31/03/22	30gm	—	—	—	30gm		
	420gm	5gm	30gm		455gm		


Annexure II

Month : <u>APRIL - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
02/04/2022	30gm	—	—	—	30gm	Bulga	}
04/04/2022	20gm	10gm	—	—	30gm	Bulga	
06/04/22	—	—	—	—	—	Bulga	
08/04/22	20gm	—	—	—	20gm	Bulga	}
10/04/22	30gm	—	20gm	—	50gm	Bulga	
12/04/22	40gm	—	—	—	40gm	Bulga	
14/04/22	30gm	—	—	—	30gm	Bulga	}
16/04/22	—	—	—	—	—	Bulga	
18/04/22	20gm	—	—	—	20gm	Bulga	
20/04/22	40gm	10gm	—	—	50gm	Bulga	}
22/04/22	10gm	—	—	—	10gm	Bulga	
24/04/22	20gm	05gm	—	—	25gm	Bulga	
26/04/22	30gm	—	—	—	30gm	Bulga	}
28/04/22	20gm	10gm	—	—	30gm	Bulga	
30/04/22	40gm	10gm	10gm	—	60gm	Bulga	
TOTAL	350gm	45gm	30gm	—	425gm	Bulga	Yes


Annexure II

 Bio Medical Waste Register Month : <u>MAY-2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
02/05/22	50gm	10gm	—	20gm	80gm	Bulega	
04/05/22	30gm	—	10gm	—	40gm	Bulega	
06/05/22	20gm	—	—	—	20gm	Bulega	
08/05/22	40gm	10gm	20gm	—	70gm	Bulega	Um
10/05/22	20gm	—	—	—	20gm	Bulega	
12/05/22	25gm	—	—	—	25gm	Bulega	
14/05/22	—	—	—	—	0	Bulega	
16/05/22	30gm	—	—	—	30gm	Bulega	Um
18/05/22	15gm	10gm	—	—	25gm	Bulega	
20/05/22	20gm	—	—	10gm	30gm	Bulega	
22/05/22	—	—	—	—	0	Bulega	
24/05/22	10gm	—	—	—	10gm	Bulega	
26/05/22	20gm	—	20gm	—	40gm	Bulega	
28/05/22	15gm	—	—	—	15gm	Bulega	
30/05/22	30gm	—	—	—	30gm	Bulega	Um
	325gm	30gm	50gm	30gm	435gm	Bulega	Um


Annexure II

 Bio Medical Waste Register Month : <u>JUNE - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
01/06/22	30gm	—	—	—	30gm	Bulga	✓
03/06/22	20gm	10gm	—	—	30gm	Bulga	
05/06/22	10gm	—	10gm	—	20gm	Bulga	
07/06/22	20gm	—	—	—	20gm	Bulga	
09/06/22	—	—	—	—	0gm	Bulga	✓
11/06/22	40gm	—	10gm	—	50gm	Bulga	
13/06/22	30gm	10gm	10gm	—	50gm	Bulga	
15/06/22	20gm	—	10gm	—	30gm	Bulga	
17/06/22	10gm	—	—	—	10gm	Bulga	✓
19/06/22	—	—	—	—	—	Bulga	
21/06/22	30gm	20gm	—	—	50gm	Bulga	
23/06/22	10gm	—	—	—	10gm	Bulga	
25/06/22	20gm	—	—	—	20gm	Bulga	✓
27/06/22	—	—	—	—	0gm	Bulga	
29/06/22	30gm	10gm	—	—	40gm	Bulga	
TOTAL	270gm	50gm	40gm	0gm	360gm	Bulga	✓


Annexure II

 Bio Medical Waste Register Month : <u>JULY - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
01/07/2022	30gm	—	—	—	30gm	Bulga	
03/07/2022	10gm	10gm	—	—	20gm	Bulga	
05/07/2022	—	—	—	—	0gm	Bulga	
07/07/22	40gm	—	10gm	—	50gm	Bulga	
09/07/22	20gm	—	—	—	20gm	Bulga	
11/07/22	30gm	—	—	—	30gm	Bulga	
13/07/22	10gm	—	—	—	10gm	Bulga	
15/07/22	25gm	10gm	—	—	35gm	Bulga	
17/07/22	10gm	—	—	10gm	20gm	Bulga	
19/07/22	—	—	—	—	0gm	Bulga	
21/07/2022	30gm	—	10gm	—	40gm	Bulga	
23/07/22	40gm	—	—	—	40gm	Bulga	
25/07/22	20gm	—	—	—	20gm	Bulga	
27/07/22	10gm	—	—	10gm	20gm	Bulga	
29/07/22	—	—	—	—	0gm	Bulga	
31/07/22	20gm	—	—	—	20gm	Bulga	
TOTAL	295gm	20gm	20gm	20gm	355gm	Bulga	Unl



















Annexure II

 Bio Medical Waste Register Month : <u>AUGUST - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
2.8.22	30gm	—	—	—	30gm	Bulga	
04/08/22	10gm	—	—	—	10gm	Bulga	
06/08/22	40gm	—	10gm	—	50gm	Bulga	
08/08/22	—	—	—	—	0gm	Bulga	
10/08/22	35gm	10gm	—	—	45gm	Bulga	
12/08/22	20gm	—	10gm	—	30gm	Bulga	
14/08/22	10gm	—	—	—	10gm	Bulga	
16/08/22	—	—	—	—	0gm	Bulga	
18/08/22	20gm	10gm	—	—	30gm	Bulga	
20/08/22	15gm	—	—	—	15gm	Bulga	
22/08/22	10gm	—	—	—	10gm	Bulga	
24/08/22	30gm	—	—	—	30gm	Bulga	
26/08/22	20gm	—	—	—	20gm	Bulga	
28/08/22	20gm	10gm	—	—	30gm	Bulga	
30/08/22	40gm	—	—	10gm	50gm	Bulga	
TOTAL 300gm 30gm 20gm 10gm 360gm Bulga							


Annexure II

 Bio Medical Waste Register Month : <u>SEPT-2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
01/09/2022	35gm	—	—	—	35gm	Bulke	
03/09/2022	20gm	—	—	—	20gm	Bulke	
05/09/22	40gm	—	—	—	40gm	Bulke	
07/09/2022	10gm	—	10gm	—	20gm	Bulke	
09/09/22	30gm	—	—	—	30gm	Bulke	
11/09/2022	20gm	10gm	—	—	30gm	Bulke	
13/09/2022	—	—	—	—	—	Bulke	
15/09/22	30gm	—	—	—	30gm	Bulke	
17/09/22	10gm	—	—	10gm	20gm	Bulke	
19/09/22	—	—	—	—	—	Bulke	
21/09/22	40gm	—	—	—	40gm	Bulke	
23/09/22	10gm	—	10gm	—	20gm	Bulke	
25/09/22	30gm	—	—	—	30gm	Bulke	
27/09/22	20gm	10gm	—	—	30gm	Bulke	
29/09/22	10gm	—	—	—	10gm	Bulke	
TOTAL	305gm	20gm	20gm	10gm	355gm	Bulke	


Annexure II

 Bio Medical Waste Register Month : <u>OCT - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
01/10/22	30gm	—	—	—	30gm		
03/10/2022	20gm	—	10gm	—	30gm		
05/10/2022	30gm	—	—	—	30gm		
07/10/22	20gm	10gm	—	—	30gm		
09/10/22	10gm	—	—	10gm	20gm		
11/10/22	20gm	—	—	—	20gm		
13/10/22	40gm	—	—	—	40gm		
15/10/22	20gm	—	—	10gm	30gm		
17/10/22	—	—	—	—	—		
19/10/22	30gm	—	10gm	—	40gm		
21/10/22	10gm	—	—	—	10gm		
23/10/22	20gm	10gm	—	—	30gm		
25/10/22	40gm	—	—	—	40gm		
27/10/22	20gm	—	—	—	20gm		
29/10/22	—	—	—	—	—		
31/10/22	30gm	—	—	10gm	40gm		
TOTAL	340gm	20gm	20gm	30gm	410gm		

Annexure II

 Bio Medical Waste Register Month : <u>NOV-2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
02/11/22	20gm	—	—	—	20gm	Buteja	✓
04/11/22	10gm	—	10gm	—	20gm	Buteja	✓
06/11/22	—	—	—	—	—	Buteja	✓
08/11/22	40gm	10gm	—	—	50gm	Buteja	✓
10/11/22	10gm	—	—	—	10gm	Buteja	✓
12/11/22	30gm	—	—	—	30gm	Buteja	✓
14/11/22	10gm	—	—	10gm	20gm	Buteja	✓
16/11/22	20gm	—	—	—	20gm	Buteja	✓
18/11/22	—	—	—	—	—	Buteja	✓
20/11/22	20gm	—	—	—	20gm	Buteja	✓
22/11/22	30gm	—	—	—	30gm	Buteja	✓
24/11/22	10gm	—	—	—	10gm	Buteja	✓
26/11/22	—	—	—	—	—	Buteja	✓
28/11/22	30gm	—	10gm	—	40gm	Buteja	✓
30/11/22	20gm	—	—	10gm	30gm	Buteja	✓
TOTAL	250gm	10gm	20gm	20gm	300gm		✓

Annexure II

 Bio Medical Waste Register Month : <u>DECEMBER - 2022</u>							
Date	Yellow	Red	Blue	White	Total	Sign. of Nursing staff	Verified by Doctor
2/12/22	30gm	—	—	—	30gm	Bulkeg	
04/12/22	20gm	—	10gm	—	30gm	Bulkeg	
06/12/22	—	—	—	—	—	Bulkeg	
08/12/22	10gm	10gm	—	—	20gm	Bulkeg	
10/12/22	30gm	—	—	10gm	40gm	Bulkeg	
12/12/22	—	—	—	—	—	Bulkeg	
14/12/2022	40gm	—	—	—	40gm	Bulkeg	
16/12/22	20gm	—	—	—	20gm	Bulkeg	
18/12/22	10gm	—	—	—	10gm	Bulkeg	
20/12/22	30gm	—	—	—	30gm	Bulkeg	
22/12/22	30gm	—	—	—	30gm	Bulkeg	
24/12/22	10gm	—	10gm	—	20gm	Bulkeg	
26/12/22	20gm	—	—	—	20gm	Bulkeg	
28/12/22	—	—	—	—	—	Bulkeg	
30/12/22	35gm	—	—	—	35gm	Bulkeg	
TOTAL	285gm	10gm	20gm	10gm	325gm	Bulkeg	



Training Attendance Sheet

Faculty:	Dr Unnat Mathur	Date:	14.11.22
Training Title:	Bio Medical waste segregation, collection and disposal	Time:	2 PM to 6 PM

Sr. No	Empl. ID	Name	Level	Department	Signature
1	004680	BANKA RAM	Lab. Tech.	OHC	Bluejay
2	3442	Kishore Singh	Nursing Staff	OHC	Kishore
3	1255	Peer Monamad	Nursing Staff	OHC	PB
4	2213	Suleman	Nursing Staff	OHC	Suleman
5	4886	Saddam Khan	Nursing Staff	OHC	Sunny
6	4883	Raj Kumar	Nursing Staff	OHC	Raj
7	4887	Padmaram	Nursing Staff	OHC	Pad.
8	4889	JAGDISH	Nursing Staff	OHC	Jagdish
9	000124	hizaram	HOUSE KEEPING	OHC	Hizaram
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					