

**SOUTH WEST PORT LTD.**

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa – 403 803.
CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in

Dated: 25.10.2023

To,
The Additional Director (SR),
Ministry of Environment & Forest,
Government of India,
Regional Office (Southern Zone)
Kendriya Sadan, 17th Main Road,
II Block, Koramangala,
Bengaluru – 560 034

Sub: Six Monthly Compliance Report- Berth 5A & 6A at Mormugao Port by South West Port Ltd.,
Goa.

Ref: Environment Clearance No. PD-26018/2/2000-PDZ (CRZ), New Delhi, dated 24.01.2001 &
10-5/2015-IA.III (E-93155) (MOEFCC), New Delhi, dated 11.01.2023.

Dear Sir,

We are herewith submitting the six monthly compliance report of the Environmental Clearance (EC) conditions of two multi-purpose cargo berths 5A, 6A in Mormugao Port by M/s South West Port Ltd. (Formerly ABG Goa port Ltd), *vide* letter No. PD-26018/2/2000-PDZ (CRZ) dated 24.01.2001 as well as proposed terminal capacity enhancement at berths 5A, 6A of Mormugao Port for handling coal & coal products, Iron Ore and Limestone including unitized & Steel Products at Mormugao Port Trust, Mormugao Goa by M/s South West Port Ltd. *vide* letter dated 11.01.2023. The six-monthly compliance report is for the period of Apr 2023 to Sep 2023.

The reports of air quality monitoring, stack monitoring, noise & status of Environmental Clearance (EC) conditions are also attached for your kind information.

Note: No work has been commenced for the capacity enhancement proposal at berth 5A, 6A.

Thanking you.
Yours faithfully,
for South West Port Ltd., Goa


Authorized signatory

Copy to:

- 1) To,
The Chief Engineer,
Mormugao Port Trust,
Headland Sada, Goa



Six-monthly EC Compliance Report

Compliance of Environmental Clearance (EC) conditions for construction of two multi-purpose cargo berths 5A, 6A in Mormugao Port by M/s South West Port Ltd. (Formerly ABG Goa port Ltd), vide letter No. PD-26018/2/2000-PDZ (CRZ) dated 24.01.2001 from Oct 2022 to Mar 2023.

S. No.	Conditions	Compliances
i.	All construction design / drawings relating to construction activities must have the approval of the concerned Govt. Dept./Agencies of State Govt. of Goa. Ground water should not be tapped for construction activities as the drawl of ground water for industrial use from the CRZ is a prohibited activity.	<p>Complied.</p> <p>All construction design / drawings relating to construction activities had been approved by Mormugao Port Trust (MPT), Mormugao.</p> <p>Ground water was not tapped for construction activities.</p>
ii.	Adequate provision for all infrastructural facilities such as water supply, fuel, sanitation, etc. must be extended for labourers during the construction period in order to avoid damage to the environment.	<p>Complied.</p> <p>Adequate infrastructural facilities like water supply, fuel, sanitation was provided to the workers during the construction period.</p>
iii.	Dredging operations, if any, should be undertaken in consultation with either Central Water & Power Station Research, Pune or National Institute of Oceanography, Goa or	<p>Complied.</p> <p>Capital dredging was carried out for berth construction in consultation with NIO, Goa. As suggested by NIO, adequate care was taken during the dredging to ensure that there is no adverse impact on water quality and marine productivity in the vicinity.</p>

	any other authorized agency to ensure that dredging operations do not cause adverse impact on water quality and marine productivity in the vicinity. Dredging operations as far as possible should be kept to the minimum for avoiding any adverse impact on marine life.	
iv.	Disposal sites for excavated material should be so designed that the revised land use after dumping and changes in the land use pattern do not interfere with the natural drainage.	<p>Complied.</p> <p>The dredged material was disposed at the designated dump site in consultation with NIO, Goa.</p>
v.	To meet any emergency situation, adequate foam containers should be kept ready with supporting firefighting system and water pipeline.	<p>Complied.</p> <p>To meet any emergency, adequate Fire Hydrant System & Fire Extinguishers are made available at strategic locations of the Terminal.</p> <p>Total Number of Fire Extinguishers-168</p> <p>Total Number of Fire Hydrants-10</p> <p>Sand buckets - 20</p>






Fire hydrant post



M foam extinguishers



200 liters of Foam making compound, sand buckets & extinguishers



<p>vi.</p>	<p>Staff posted in sensitive areas should be trained in implementation of the Crisis Management Plan already drawn by the authorities. Mock drills for this purpose should be conducted on a regular basis. Provisions of Dock Safety Act and the guidelines issued by DG, FASLI/CLI, Mumbai for the safety and health of the workers should be followed.</p>	<p>Complied.</p> <p>Staffs working in sensitive areas are periodically trained for safety protection measures and crisis management.</p> <p>As per Crisis Management Plans mock drill are conducted periodically.</p> <p>We are following the provisions of Dock Safety Act, and guidelines issued by DGFASLI / CLI, Mumbai in regards to Safety & Health of the workers.</p>   <p>Firefighting drills</p>
<p>vii.</p>	<p>Development of green buffer including mangroves wherever feasible. Necessary permission may be</p>	<p>Complied.</p> <p>Green Belt Development of fast growing and ornamental thick leaves trees are planted in approx. 1400 m² area in the terminal premises. Additional green belt development is undertaken in the Dabolim airport road, and Vasco city</p>

obtained from the concerned authorities for cutting of trees, if any, for the project.

and maintained. Also additional vertical garden of 200 sq. m. has been constructed along the boundary of terminal.



vertical garden across periphery



Dabolim airport road divider plantation



Vasco city beautification


viii. To prevent discharge of sewage and other liquid wastes including ballast into marine environment,

Complied.


As per the consent conditions of GSPCB, adequate system for collection, treatment and disposal facilities for sewage

	<p>adequate system for collection, treatment and disposal of liquid wastes must be provided to the satisfaction of GSPCB.</p>	<p>and other liquid waste is in place in the terminal in MPT. The ballast water management is done by MPT and are strictly enforced</p>  <p>Collection of sewage at port</p>
<p>ix.</p>	<p>Adequate noise control measures must be taken to maintain noise level at various work places. If need, ear plugs and muffs should be provided to the workers.</p>	<p>Complied.</p> <p>Adequate noise control measures have been taken place in the terminal. We provide ear plugs to the workers working in higher noise areas. Noise monitoring is being carried out in the terminal area which reveals that the levels are within the prescribed limits.</p> <p>The noise quality report is attached as Annexure-I.</p> 



		<p>Ear muffs provided for Person working near DG.</p>  <p>Noise monitoring machine</p>
<p>x.</p>	<p>The quality of treated effluents, solid wastes and emissions must conform to the standards laid down by the competent authority including GSPCB.</p>	<p>Complied. The quality of treated effluent, solid waste and emissions are confirming to the norms stipulated by GSPCB. Report added in Annexure-2</p>
<p>xi.</p>	<p>An environmental management cell (EMC) should be set up immediately and made operational with adequate laboratory facilities, equipment and a mobile van for collecting air samples. The EMC should coordinate and monitor environmental mitigative measures executed in the project area. PP is advised to institutionalize their environmental monitoring</p>	<p>Complied. MPT has an environmental cell and an environmental manager from SWPL is part of the EMC. The Environmental manager is responsible for execution of mitigative measures adopted in the terminal. In consultation with GSPCB, regular monitoring of air quality is being carried out in the terminal though a NABL accredited laboratory. The air quality report is attached as Annexure-3.</p>



	<p>through recognized scientific institution.</p>	 <p>Air monitoring done through NABL accredited lab</p>
<p>xii.</p>	<p>Necessary leakage detection devices with early warning system must be provided at strategic locations.</p>	<p>Leakage detection system is not applicable as SWPL is not handling any hazardous chemicals or liquids in the terminal.</p>
<p>xiii.</p>	<p>Standby DG sets must be provided to ensure uninterrupted power supply to the pump house and the firefighting system.</p>	<p>Complied. Three standby DG sets of total 5000 KVA are available in case of power failure form GED. Stack monitoring report is attached as Annexure-4</p>



			
		<p>DG installed at port as a power back up.</p>	
<p>xiv.</p>	<p>Third party inspection should be ensured during construction and operational phases with adequate insurance cover. Six monthly compliance report to the Ministry about the implementation of suggested mitigative measures.</p>	<p>Complied. The port is operational and covered with adequate insurance cover. Six monthly compliance report of the implemented mitigative measures along with the monitoring data is submitted to RO, MoEFCC, Bangalore.</p>	
<p>xv.</p>	<p>Full support to be extended to the RO, MoEFCC (SR), Bangalore during inspection of the project for monitoring purposes by PP by furnishing full details and action plans including action taken report on mitigation measures.</p>	<p>Complied. Full support is always extended to the official from RO, MoEFCC (SR), Bangalore during the inspection and furnish details and reports on mitigative measures implemented.</p>	



		 <p>MoEF additional director Dr. Murali Krishna had port inspection on 7 Oct 2021.</p>
<p>xvi.</p>	<p>Adequate funding provisions, year-wise and item-wise, must be made for implementation of the abovementioned safeguard measures.</p>	<p>Complied. Adequate funds are allotted for implementation of the environmental mitigative measures at the terminal. Provision of water for sprinkling – 22 lakhs Sweeping machine maintenance – 12 lakhs Pump house maintenance – 3 lakhs Sprinkler system maintenance – 5 lakhs</p>
<p>xvii.</p>	<p>PP should follow the mitigative measures in toto as mentioned in the documents submitted.</p>	<p>Complied. All the mitigation measures such as closed conveyors for coal transport, water sprinklers for dust suppression, covered coal storage, wagon loading system, etc. are duly complied at the terminal.</p>  <p>Pipe Conveyor</p> 



Mist System in hoppers

Wagon closed with tarpaulin while transporting.



Vacuum sweeping machine



Yard sprinkling



Silo loading attached with pipe conveyor





Six-monthly EC Compliance Report

Proposed Terminal Capacity Enhancement at berths 5A, 6A of Mormugao Port for handling coal & coal products, Iron Ore and Limestone including unitized & Steel Products at Mormugao Port Trust, Mormugao Goa by M/s South West Port Ltd. (F. No. 10-5/2015-IA-III) for Oct 2022 to Mar 2023.

Environmental and CRZ Clearance (EC) dated 11.01.2023.

S. No.	EC Conditions	Compliance
A	Specific Conditions	
i	The grant of Environmental and CRZ Clearance is subject to the final outcome of the pending cases i.e. Civil Application No. 64/2018 in WP No. 2011/2018; PIL 24/2018 (Sherwyn Correia & Ors. Vs GSPCB and Ors; Pollution Appeal No. 9/18/Air and Pollution Appeal No. 10/18/Air.	a) Civil Application No. 64/2018 - Disposed of, as withdrawn b) WP PIL 24/2018-Matter posted for final arguments however it is not listed on the final hearing Board. c) Pollution Appeal No. 10/18/Air-Disposed.



S. No.	EC Conditions	Compliance
ii	Construction activity shall be carried out strictly according to the provisions of CRZ Notification, 2011. No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Noted. Constructions and other activities will be carried out, as per the provision of CRZ Notification 2011.
iii	All the recommendations and conditions specified by the Goa Coastal Zone Management Authority vide letter no. GCZMA/S/17- 18/19/899 dated 18.08.2017 shall be complied with.	Noted. Compliance to all the six conditions of GCZMA recommendations including handling in closed shed will be strictly adhered.
iv	The Project proponent shall ensure that no creeks or rivers are blocked due to any activities at the project site and free flow of water is maintained	Noted. Proposal doesn't envisage any new construction other than the Covered shed. The development will not obstruct any flow of water.
v	Dredging shall not be carried out during the fish breeding season	Dredging activity is not part of the proposed project.
vi	Dredging, etc shall be carried out in the confined manner to reduce the impacts on marine environment.	Dredging activity is not part of the proposed project.
vii	Dredged material shall be disposed safely in the designated areas.	Dredging activity is not part of the proposed project.
viii	Shoreline should not be disturbed due to dumping. Periodical study on shore line changes shall be conducted and mitigation carried out, if necessary. The details shall be submitted along with the six-monthly monitoring report.	Dredging and dumping of material is not part of the proposed project.
ix	The ground water shall not be tapped within the CRZ areas by the PP to meet with the water requirement in any case.	No ground water will be tapped within CRZ areas
x	While carrying out dredging, an independent monitoring shall be carried out by Government Agency/Institute to check the impact and necessary measures shall be taken on priority basis if any adverse impact is observed.	Not applicable, as dredging activity is not a part of the proposed project.



S. No.	EC Conditions	Compliance
xi	Mitigative measures as given in the Marine Diversity Conservation Management Plan prepared by Centre for Advanced Studies in Marine Biology (CASMB), Annamalai University for protection of marine life, atmospheric environment and to promote turtle nesting shall be complied with in letter and spirit.	Shall be complied.
xii	A copy of the Marine and riparian biodiversity management plan duly validated by the State Biodiversity Board shall be submitted before commencement of implementation.	Shall be complied.
xiii	Marine ecology shall be monitored regularly in terms of all micro, macro and mega floral and fauna components of marine biodiversity including sea weeds, sea grasses, mudflats, sand dunes, fisheries, echinoderms, shrimps, turtles, corals, coastal vegetation, mangroves and other marine biodiversity components as part of the management plan. The monitoring should also cover various physico-chemical parameters coupled with biological indices such as microbes, plankton, benthos and fishes on a periodic basis during construction and operation phase of the project. Any deviations in the parameters shall be given adequate care with suitable measures to conserve the marine environment and its resources.	Shall be complied. Marine ecology shall be monitored and submitted in six-monthly compliance report.
xiv	The project proponents would also draw up and implement a management plan for the prevention of fires due to handling of coal.	Complied. Adequate fire safety measures are developed in the terminal. In addition, fire monitor, sprinkling systems are mounted in mobile water tankers at the site and coal yards.
xv	Spillage of fuel / engine oil and lubricants from the construction site are a source of organic pollution which impacts marine life, particularly benthos. This shall be prevented by suitable precautions and also by providing necessary mechanisms to trap the spillage.	Shall be complied.



S. No.	EC Conditions	Compliance
xvi	Necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that they conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the Environment (Protection) Act, 1986.	Being Complied. Provisions for soak pit /septic tank has been developed within the premises, and handed over to the sewage to approved vendor for disposal. Solid waste are properly stored and disposed to local authorities in line with the Solid Waste management rules 2016 (amended).
xvii	All the recommendations mentioned in the rapid risk assessment report, disaster management plan and safety guidelines shall be implemented.	Shall be complied.
xviii	Measures should be taken to contain, control and recover the accidental spills of fuel and cargo handle.	Being Complied. Mormugao Port Authority (MPA) has a well-developed Oil Spill Contingency Plan (OSCP) which is in place. Also, MPA has well qualified and well-equipped Emergency Response Team (ERT) to deal emergency situations during operations. Best available technology (BAT) has been installed to recover the spills arising out of cargo handling.
xix	Necessary arrangement for general safety and occupational health of people should be done in letter and spirit.	Being Complied. Dedicated OHC is available with round the clock paramedics & ambulance along with driver. Also, periodic health checkup is carried out regularly as per Dock Workers Regulations.
xx	The commitments made during the Public Hearing and recorded in the Minutes shall be complied with letter and spirit. A hard copy of the action taken shall be submitted to the Ministry.	Complied. Hard copy of action plan taken has been submitted to Ministry.
xxi	All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to the RO, MoEFCC &CC along with half yearly compliance report.	Shall be complied. Shall be submitted along with the compliance report after project implementation.



S. No.	EC Conditions	Compliance
xxii	<p>As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May 2018, the project proponent shall prepare and implement Corporate Environment Responsibility (CER) for the activities as per OM. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.</p>	<p>Shall be complied. Shall prepare and implement the CER plan as per the OM.</p>
xxiii	<p>The project proponent shall conduct source apportionment study to identify and quantify sources of pollution from individual activities being carried out in the project and implement the findings/recommendations of the study relevant for the protection of environment in the area to the satisfaction of State Pollution Control Board.</p>	<p>Complied. "Source Apportionment Study" has been already prepared by IIT Bombay. Compliance to the recommendations of the report w.r.t. SWPL Terminal have been submitted to GSPCB through MPT and all the recommendations suggested in the report have been complied with.</p>
xxiv	<p>The grant of Environmental and CRZ Clearance is subject to final outcome/legal opinion on the Order dated 22nd November, 2017 of Hon'ble NGT in the Original Application No. 424 of 2016 (Earlier O.A. No. 169 of 2015) and Original Application No. 1 of 2014 in the matter of M/s. Mehdad & Anr. Vs. Ministry of Environment, Forests & Climate Change & Ors. And Shamsunder Shridhar Dalvi & Ors. Vs. Govt. of India & Ors.</p>	<p>Case disposed.</p>
xxv	<p>The project proponent shall ensure that the project is in consonance with the new CZMP prepared by the State Government under the provisions of CRZ Notification, 2011.</p>	<p>Complied. Project layout has been superimposed on the approved CZMP of the Goa state prepared under the provisions of CRZ Notification, 2011. Project shall be implemented accordingly.</p>
B	General Conditions	



S. No.	EC Conditions	Compliance
i	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Shall be complied. To eliminate / minimize dispersion of sediment during the piling activities, "Bored Cast In Situ" Piling technique will be explored during construction.
ii	Full support shall be extended to the officers of this Ministry/concerned Regional Office by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.	Noted.
iii	A six-Monthly monitoring report shall need to be submitted by the project proponents to the concerned Regional Office of this Ministry regarding the implementation of the stipulated conditions	Noted.
iv	Ministry of Environment, Forest and Climate Change or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary, in the interest of environment and the same shall be complied with.	Noted.
v	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.	Noted.
vi	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment, Forest and Climate Change.	Noted.
vii	The project proponents shall in form the concerned Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Noted. Shall be informed.



S. No.	EC Conditions	Compliance
viii	A copy of the clearance letter shall be marked to concerned Panchayat/local NGO, if any, from whom any suggestion/representation has been made received while processing the proposal.	Complied. Notification of grant of EC has been published on 16 th Jan 2023 in local newspapers, one in English & other in vernacular language (attached as Annexure 6). Also, EC is made available on the website of GSPCB & MOEFCC.
ix	A copy of this clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The Clearance letter shall also be displayed at the Regional Office, District Industries Centre and Collector's Office/ Tehsi1dar's office for 30 days.	Complied. EC copy has been submitted to GSPCB and Collectorate office for display. (attached as Annexure 6a)
6	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Shall be complied.
7	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at http://www.envfor.nic.in . The advertisement should be made within Seven days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the concerned Regional office of this Ministry.	Complied. Notification of grant of EC has been published on 16 th Jan 2023 in local newspapers, one in English & other in vernacular language (attached as Annexure 6). Also, EC is made available on the website of GSPCB & MOEFCC.



S. No.	EC Conditions	Compliance
8	This clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this report.	Case disposed.
9	Any appeal against this clearance shall lie with the National Green Tribunal if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
10	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	Shall be complied.
11	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Complied. Notification of grant of EC has been published on 16 th Jan 2023 in local newspaper, one in English & other in vernacular language (attached as Annexure 6). EC copy has been submitted to GSPCB and Collectorate office & NGOs. (attached as Annexure 6a, 6b & 6c).
12	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEFCC &CC, the respective Zonal Office of CPCB and the SPCB.	Shall be complied.
13	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the concerned Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB.	Noted.




**SOUTH WEST PORT LTD.**

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa – 403 803.
CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in

S. No.	EC Conditions	Compliance
14	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional Office of MoEFCC by e-mail.	Shall be complied. Form V will be submitted to GSPCB, and uploaded on company website and also sent to MOEFCC-RO via email.
15	The above stipulations would be forced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Noted.



Annexure-1: Noise monitoring report

TEST CERTIFICATE FOR NOISE MONITORING

QF/7.8/41-EX

Page: 1 of 1

Customer's Name and Address :

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0087
	Issue Date : 05/09/2023
	P.O No: SWPL/22-
	Customer's Ref. : 23/0950009487, Date: 04.07.2022

NOISE LEVEL MONITORING REPORT

Sampling Date	: 15/08/2023
Test Method	: IS 9876 / IS 9989
Sampling Location	: As per table
Sampling By	: Pollucon Laboratories Pvt. Ltd.
Protocol (purpose)	: Environmental Monitoring

RESULT TABLE

SR. NO.	NAME OF THE LOCATION	NOISE OBSERVATIONS	
		DAY TIME dB(A)	NIGHT TIME dB(A)
1	Main Gate	73.7	65.5
2	Near D.G. Set	67.2	63.4
3	Near Junction House 4	69.1	60.9
4	Near Junction House 1	72.2	68.2
5	Near Bearth 5A-Store	65.1	61.1
6	Near Mobile Harbour Crane	67.8	63.2
7	Near Wagon Loader	64.2	58.7
8	Near Railway Gate	73.5	62.9
9	Near Stacker cum Reclaimer	71.8	66.4
10	In Office Room	61.3	54.1
LIMIT**		75 dB(A)	70 dB(A)

**Limit as per the specified norms as per The Noise Pollution (Regulation and Control) Rules 2000.
 Day time shall mean from 6:30 a.m. to 10:00 p.m.
 Night time shall mean from 10:00 p.m. to 6:00 a.m.


Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned on back.

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
 • GPCB approved schedule II auditor
 • ISO 14001 : 2004 • OHSAS 18001 : 2007 • ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Fertilizer Plant,
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 97916605174. WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, info@polluconlab.com



Annexure-2: STP reports

POLLUCON LABORATORIES PVT. LTD.
TEST REPORT

QF/7.8/41-WT

Customer's Name and Address :


Page: 1 of 1


M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0082
	Issue Date :	05/09/2023
	P.O No: SWPL/22-	23/0950009487,
	Customer's Ref. :	Date: 04.07.2022


Description of Sample :	STP Inlet	Quantity/No. of Samples :	01 Lit/One
Sampling Date :	15/08/2023	Sampling Procedure :	Grab/ IS: 4733 1972
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab ID :	SWP/2308/08B
Sample Receipt Date :	17/08/2023	Test Parameters :	As per table
Packing/ Seal :	Sealed	Date of Completion :	22/08/2023
Date of Starting of Test :	17/08/2023		

RESULT TABLE

Sr. NO.	TEST PARAMETERS	UNIT	RESULTS	TEST METHOD
1	BOD (3 Days @ 27 °C)	mg/L	42	IS 3025 (Part-41)
2	Total Suspended Solids	mg/L	98	IS 3025 (Part - 17)
3	Chloride as Cl	mg/L	123	IS 3025 (Part-32)
4	pH	—	7.59	IS 3025 (Part-11) Electrometric Method
5	COD	mg/L	178	APHA (23 rd Edition) 5220 B Open Reflux Method
6	Total Dissolved Solids	mg/L	1129	IS 3025 (Part-16)
7	Sulphate as SO ₄	mg/L	61.37	IS 3025 (Part-24)
8	Oil & Grease	mg/L	5.6	APHA (23 rd Edition) 5520 B
9	Most Probable Numbers (MPN)	MPN Index/ 100ml	>1600	APHA (23 rd Edition) 9221 C & E


H. T. Shah
 Lab. Manager


Sweety Jain
 Microbiologist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

● Recognized by MoEF, New Delhi Under Sec. 12 of Environmental Protection Act-1986 ● GPCB approved schedule II auditor ● ISO 14001 : 2004 ● OHSAS 18001 : 2007 ● ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan, M.S.
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, pollucon@polluconlab.com




TEST REPORT

QF/7.8/41-WT

Customer's Name and Address :

Page: 1 of 1

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No.	: PL/SWP/23/0083
	Issue Date	: 05/09/2023
	P.O No:	: SWPL/22-
	Customer's Ref.	: 23/0950009487, Date: 04.07.2022


Description of Sample	: STP Outlet	Quantity/No. of Samples	: 01 Lit/One
Sampling Date	: 15/08/2023	Sampling Procedure	: Grab/ IS: 4733 1972
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Lab ID	: SWP/2308/08C
Sample Receipt Date	: 17/08/2023	Test Parameters	: As per table
Packing/ Seal	: Sealed	Date of Completion	: 22/08/2023
Date of Starting of Test	: 17/08/2023		


RESULT TABLE

SR. NO.	TEST PARAMETERS	UNIT	RESULTS (STP WATER QUALITY REPORT)	CPCB LIMITS**	TEST METHOD
1	BOD (3 Days @ 27 °C)	mg/L	12.6	100	IS 3025 (Part-14)
2	Total Suspended Solids	mg/L	24	100	IS 3025 (Part - 17)
3	Chloride as Cl	mg/L	95.97	600	IS 3025 (Part-32)
4	pH	-	7.31	5.5-9.0	IS 3025 (Part-11) Electrometric Method
5	COD	mg/L	54.6	250	APHA (23 rd Edition) 5220 B Open Reflux Method
6	Total Dissolved Solids	mg/L	1078	2100	IS 3025 (Part-16)
7	Sulphate as SO ₄	mg/L	53.24	1000	IS 3025 (Part-24)
8	Oil & Grease	mg/L	Not Detected	10	APHA (23 rd Edition) 5520 B
9	Fecal Coliform	MPN Index/ 100ml	110	< 1000	APHA (23 rd Edition) 9221 C & E

Detection Limit: Oil & Grease: 2.0 mg/L.


H. T. Shah
 Lab. Manager


Sweety Jain
 Microbiologist


Dr. Arun Bajpai
 Lab Manager(Q)


Note: This report is subject to terms & conditions mentioned overleaf.

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental Protection Act-1986 • GPCB approved schedule II auditor • ISO 14001 : 2004 • OHSAS 18001 : 2007 • ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan Mart, Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 079-16605174, WEB: www.polluconlab.com, E. mail: pollucon@polluconlab.com


Annexure-3: Ambient air monitoring report


POLLUCON LABORATORIES PVT. LTD.

TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ
Page: 1 of 1

Customer's Name and Address :		Test Report No. : PL/SWP/23/0043
M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA		Issue Date : 05/05/2023 Customer's Ref. : P.O No: SWPL/22-23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 5A of South West Port Ltd.		
Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd. Lab Id		As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			03/04/2023	06/04/2023	17/04/2023	20/04/2023		
Date of Sampling			03/04/2023	06/04/2023	17/04/2023	20/04/2023		
Lab ID SWP/2304 (A - D)			01	03	09	11		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	65.34	57.68	76.44	83.24	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	35.43	28.37	39.65	43.71	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	15.92	11.46	20.75	23.35	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	29.81	26.52	33.66	37.49	80	IS 5182 (Part-6)

*LIMIT: Industrial, Residential, Rural and other Area Notification Dated 15th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai


Dr. Arun Bajpai
Lab Manager(Q)


Note: This report is subject to terms & conditions mentioned over here.

● Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
 ● CPCB approved schedule II auditor
 ● ISO 14001 : 2004
 ● OHSAS 18001 : 2007
 ● ISO 9001 : 2008

"Pollucon House", Plot No.516, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gauri Eagan Mart, Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916926174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, info@polluconlab.com





TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ
 Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0044
	Issue Date :	05/05/2023
	Customer's Ref. :	P.O No: SWPL/23- 23/0930009487, Date: 04.07.2022

Location of Sampling :	Berth No. 6A of South West Port Ltd.
------------------------	---


Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			10/04/2023	13/04/2023	24/04/2023	27/04/2023		
	Date of Sampling		10/04/2023	13/04/2023	24/04/2023	27/04/2023		
	Lab ID SWP/2304 (A - D)		05	07	13	15		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	60.51	79.18	52.14	72.74	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	32.86	41.28	26.36	37.59	60	CPCB guidelines for AAQM (Vol. I, NAAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	13.17	22.36	10.75	17.95	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	27.83	35.12	21.68	32.16	80	IS 5182 (Part-6)

LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi


Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)


Note: This report is subject to terms & conditions mentioned overleaf.

• Recognized by MOEF, New Delhi Under Sec. 17 of Environmental (Protection) Act-1986 • GPCB approved schedule I auditor • ISO 14001 : 2004 • OHSAS 18001 : 2007 • ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Durgam Chaudhary Market,
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07814655174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com





TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ
Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0045
	Issue Date :	05/05/2023
	Customer's Ref. :	P.O No: SWPL/22-23/0950009487, Date: 04.07.2022

Location of Sampling :	Canteen Of South West Port Limited
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT							LIMIT	METHOD OF MEASUREMENT	
			Date of Sampling	03/04/2023	06/04/2023	10/04/2023	13/04/2023	17/04/2023	20/04/2023			24/04/2023
	Lab ID SWP/2304 (A - D)		02	04	06	08	10	12	14	16		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	56.19	79.92	66.64	82.39	72.21	85.74	74.58	62.68	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	28.96	40.59	35.23	41.30	37.12	44.52	39.21	33.35	60	CPCB guidelines for AAQM (vol. I, NAAQM/08/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	11.82	20.51	17.16	21.65	18.43	22.84	19.16	15.83	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	23.51	36.43	30.33	38.36	32.66	40.78	34.71	28.29	80	IS 5182 (Part-6)

LIMIT: Industrial, Residential, Rural and other Area Notification Dated 13th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

Ravi Jariwala
Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Dr. Arun Bajpai
Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule I auditor
- ISO 14001:2004
- OHSAS 18001:2007
- ISO 9001:2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Green Screen Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07914695174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, polluconlab@polluconlab.com




TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0046
	Issue Date : 03/06/2023
Customer's Ref. :	P.O No: SWPL/22- 23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 5A of South West Port Ltd.
------------------------	--------------------------------------

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT					LIMIT*	METHOD OF MEASUREMENT
			01/05/2023	04/05/2023	15/05/2023	18/05/2023	29/05/2023		
Date of Sampling			01/05/2023	04/05/2023	15/05/2023	18/05/2023	29/05/2023		
Lab ID SWP/2305 (A - D)			01	03	09	11	17		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	82.85	71.65	78.82	63.67	55.25	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	44.54	36.52	42.37	31.76	27.37	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	24.60	18.49	23.78	14.29	9.66	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	38.73	31.43	36.93	26.24	22.33	80	IS 5182 (Part-6)

 LDC/Tr: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi


Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned hereon.

• Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
 • GPCR approved schedule II auditor
 • ISO 14001 : 2004 • GHGAS 18001 : 2007 • ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan Mart,
 Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635760, 0261-2635751, 0261-2635775, 97916000174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com info@polluconlab.com




TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0048
	Issue Date :	03/06/2023
	Customer's Ref. :	P.O No: SWPL/22- 23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 6A of South West Port Ltd.
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			08/05/2023	11/05/2023	22/05/2023	25/05/2023		
Date of Sampling			08/05/2023	11/05/2023	22/05/2023	25/05/2023		
Lab ID SWP/2305 (A - D)			05	07	13	15		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	74.52	59.56	88.18	67.44	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	40.48	29.46	46.73	33.65	60	CPCB guidelines for AAQM (Vol. I, NAAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	21.85	12.52	25.38	16.78	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	34.78	24.14	40.37	28.87	80	IS 5182 (Part-6)

 LPMTR: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi


Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

● Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986 ● CPCB approved schedule II auditor ● ISO 14001 : 2004 ● CEHRSAS (8001 : 2007) ● ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Goyal Farsan Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India

 Phone : 0261-2636766, 0261-2638751, 0261-2635775, 97918600174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0061
	Issue Date : 03/07/2023
	P.O No: SWPL/23- 23/0950009487, Date: 04.07.2023

Location of Sampling : Berth No. 5A of South West Port Ltd.
--

Date of Sampling : As per table	Protocol (purpose) : Ambient Air Quality Monitoring
Sampling By : Pollucon Laboratories Pvt. Ltd. Lab Id	: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT					LIMIT*	METHOD OF MEASUREMENT
			01/06/2023	05/06/2023	15/06/2023	19/06/2023	29/06/2023		
Date of Sampling			01/06/2023	05/06/2023	15/06/2023	19/06/2023	29/06/2023		
Lab ID SWP/2306 (A - D)			01	03	09	16	22		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	55.52	67.12	59.46	76.66	81.84	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	24.53	33.34	30.46	37.65	41.41	60	CPCB guidelines for AAQM (Vol. I, NAAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	10.45	16.30	12.52	20.53	24.66	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	22.26	28.68	24.74	32.85	36.38	80	IS 5182 (Part-6)

 LSPCT: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCR approved schedule I and II
- ISO 14001 : 2004
- CEAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Goyal Farsan Mart, Navivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635760, 9261-2435751, 0261-2635775, 97916605174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

 QF/7.B/41-AQ
 Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0047
	Issue Date : 03/06/2023
	P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

Location of Sampling	: Canteen Of South West Port Limited
----------------------	--------------------------------------

Date of Sampling	: As per table	Protocol (purpose)	: Ambient Air Quality Monitoring
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Lab Id	: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT								LIMIT*	METHOD OF MEASUREMENT	
			01/05 /2023	04/05 /2023	06/05 /2023	11/05 /2023	15/05 /2023	18/05 /2023	22/05 /2023	25/05 /2023			29/05 /2023
	Date of Sampling		02	04	06	08	10	12	14	16	18		
	Lab ID SWP/2305 (A - D)		02	04	06	08	10	12	14	16	18		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	59.63	84.81	67.43	77.62	64.75	73.83	61.38	70.37	81.36	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	29.92	43.14	36.66	41.26	34.27	40.55	32.14	38.46	42.89	60	CPCB guidelines for AQIP (Vol. I, NAAQS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	10.85	23.80	18.29	21.35	16.23	20.83	12.62	19.78	22.72	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	24.42	39.14	29.94	35.55	27.92	33.56	25.34	31.47	37.65	80	IS 5182 (Part-6)

 LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 10th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

 Note: This report is subject to terms & conditions mentioned hereafter.
 ● Recognised by MOEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986 ● CPCB approved schedule II and/or ● ISO 14001 : 2004 ● OHSAS 18001 : 2007 ● ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Central Farsan Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India

 Phone : 0261-2635766, 0261-2635751, 0261-2635775, 97916905174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, info@polluconlab.com



POLLUCON LABORATORIES PVT. LTD.
TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0063
	Issue Date :	03/07/2023
	Customer's Ref. :	P.O No: SWPL/23-23/0950009487, Date: 04.07.2022

 Location of Sampling : **Berth No. 6A of South West Port Ltd.**

 Date of Sampling : **As per table** Protocol (purpose) : **Ambient Air Quality Monitoring**
 Sampling By : **Pollucon Laboratories Pvt. Ltd. Lab Id** : **As per table**
RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			08/06/2023	12/06/2023	22/06/2023	26/06/2023		
Date of Sampling			08/06/2023	12/06/2023	22/06/2023	26/06/2023	LIMIT*	METHOD OF MEASUREMENT
Lab ID SWP/2306 (A - D)			05	07	18	20		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	62.37	79.52	51.23	71.53	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	31.64	40.74	23.26	35.92	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	14.67	22.66	8.52	18.29	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	26.58	34.32	20.92	30.24	80	IS 5182 (Part-6)

 LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MOEF, New Delhi Under Sec. 12 of Environmental Protection Act-1986
- GPCR approved schedule II auditor
- ISO 14001 : 2004
- CEESAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Park, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635766, 0261-2638751, 0261-2635775, 97918009174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.B/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0062
	Issue Date : 03/07/2023
	Customer's Ref. : P.O No: SWPL/23-23/0950009487, Date: 04.07.2022

Location of Sampling :	Canteen Of South West Port Limited
-------------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd. Lab Id	:	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT								LIMIT*	METHOD OF MEASUREMENT	
			01/06/2023	05/06/2023	08/06/2023	12/06/2023	15/06/2023	19/06/2023	22/06/2023	26/06/2023			29/06/2023
Date of Sampling			01/06/2023	05/06/2023	08/06/2023	12/06/2023	15/06/2023	19/06/2023	22/06/2023	26/06/2023	29/06/2023		
Lab ID SWP/2306 [A - D]			02	04	06	08	10	17	19	21	23		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	85.70	55.41	75.33	63.85	80.13	66.68	83.44	71.60	59.41	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	44.48	26.15	38.25	33.52	40.80	34.23	43.44	36.16	27.28	60	CPCB guidelines for AQM (Vol. I, NMAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	25.86	9.48	19.67	13.67	21.78	15.96	23.34	17.88	11.63	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	37.32	21.22	31.39	25.63	33.50	27.21	35.37	29.20	23.88	80	IS 5182 (Part-6)

 *LIMIT: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognised by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- CPCB approved schedule II auditor
- ISO 14001 : 2004
- CEESAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635795, 9261-2635751, 0261-2635775, 97916995174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0068A
	Issue Date : 04/08/2023 P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

Location of Sampling : Berth No. 5A of South West Port Ltd.
--

Date of Sampling : As per table	Protocol (purpose) : Ambient Air Quality Monitoring
Sampling By : Pollucon Laboratories Pvt. Ltd. Lab Id	: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT					LIMIT*	METHOD OF MEASUREMENT
			03/07/2023	06/07/2023	17/07/2023	20/07/2023	31/07/2023		
Date of Sampling			03/07/2023	06/07/2023	17/07/2023	20/07/2023	31/07/2023		
Lab ID SWP/2307 [A - D]			01	03	09	11	17		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	76.69	64.29	72.57	56.22	48.93	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	32.76	27.49	31.71	24.82	20.35	60	CPCB guidelines for AAQM (Vol. I, NAAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	15.36	12.23	14.17	10.34	8.55	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	31.89	25.68	29.12	21.66	17.93	80	IS 5182 (Part-6)

 *LIMIT: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Durgam Chattram Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, polluconlab.com




TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0070A
	Issue Date : 04/08/2023
	P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 6A of South West Port Ltd.
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd. Lab Id	:	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			10/07/2023	13/07/2023	24/07/2023	27/07/2023		
Date of Sampling			10/07/2023	13/07/2023	24/07/2023	27/07/2023		
Lab ID SWP/2307 [A - D]			05	07	13	15		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	68.66	52.66	80.14	60.74	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	29.55	22.17	34.79	26.28	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	13.45	9.26	16.67	11.36	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	27.54	19.35	33.63	23.18	80	IS 5182 (Part-6)

LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2006 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)


Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gayatri Farsan Mart,
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com




TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.B/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0069A
	Issue Date : 04/08/2023
	P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

Location of Sampling	: Canteen Of South West Port Limited
----------------------	--------------------------------------

Date of Sampling	: As per table	Protocol (purpose)	: Ambient Air Quality Monitoring
Sampling By	: Pollucon Laboratories Pvt. Ltd. Lab Id		: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT										LIMIT*	METHOD OF MEASUREMENT	
			03/07 /2023	06/07 /2023	10/07 /2023	13/07 /2023	17/07 /2023	20/07 /2023	24/07 /2023	27/07 /2023	31/07 /2023				
Date of Sampling															
Lab ID SWP/2307 [A - D]			02	04	06	08	10	12	14	16	18				
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	51.52	83.49	63.85	75.54	59.26	71.37	55.84	67.12	79.64	100	IS 5182 (Part-23)		
2	Particulate Matter (PM _{2.5})	µg/m ³	22.35	35.82	27.74	32.81	25.48	30.88	23.39	29.88	34.23	60	GPCB guidelines for AQM (Vol. I, NAAQMS/36/2012-13)		
3	Sulphur Dioxide as SO ₂	µg/m ³	9.83	17.87	12.75	15.78	11.27	14.69	10.49	13.66	16.44	80	IS 5182 (Part-2)		
4	Oxides of Nitrogen as NO _x	µg/m ³	18.78	34.58	24.45	30.68	22.72	28.58	20.18	26.45	32.67	80	IS 5182 (Part-6)		

 *LIMIT: Industrial, Residential, Rural and other Area Notification Dated 10th Nov.2009 as per national Ambient Air Quality Standards., CPCB New Delhi.

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned over leaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAAS 18001 : 2007
- ISO 9001 : 2008

 "Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gandhi Farsan Mart,
 Navgivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174, WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com



POLLUCON LABORATORIES PVT. LTD.
TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0073
	Issue Date : 05/09/2023
Customer's Ref. :	P.O No: SWPL/22- 23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 5A of South West Port Ltd.
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd. Lab Id	:	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT					LIMIT*	METHOD OF MEASUREMENT
			03/08/2023	07/08/2023	17/08/2023	21/08/2023	31/08/2023		
Date of Sampling			03/08/2023	07/08/2023	17/08/2023	21/08/2023	31/08/2023		
Lab ID SWP/2308 [A - D]			01	03	09	11	17		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	50.42	66.71	54.91	70.54	78.43	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	21.94	28.45	23.65	30.50	33.13	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	8.23	12.37	9.34	13.27	15.65	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	17.57	25.84	19.44	27.38	31.53	80	IS 5182 (Part-6)

 LDCFR: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2006 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager(Q)

* Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
 * CPCB approved schedule II auditor
 * ISO 14001 : 2004
 * OHSAS 18001 : 2007
 * ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Govt Farsan Mah, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, polluconlab@polluconlab.com




POLLUCON LABORATORIES PVT. LTD.
TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Customer's Name and Address :

Page: 1 of 1

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0075
	Issue Date : 05/09/2023
Customer's Ref. :	P.O No: SWPL/23- 23/0950009487, Date: 04.07.2022

Location of Sampling :	Berth No. 6A of South West Port Ltd.
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			10/08/2023	14/08/2023	24/08/2023	28/08/2023		
	Date of Sampling		10/08/2023	14/08/2023	24/08/2023	28/08/2023		
	Lab ID SWP/2308 (A - D)		05	07	13	15		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	58.72	74.75	46.81	62.28	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	25.56	31.85	19.87	26.65	60	CPCB guidelines for AAQM (Vol. I, NAAQS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	10.63	14.67	7.48	11.57	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	21.83	29.32	15.37	23.47	80	IS 5182 (Part-6)

 LSPCTR: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986 • CPCB approved schedule II auditor • ISO 14001:2004 • OHSAS 18001:2007 • ISO 9001:2008

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gagan Fashion Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 079-16605174. WEB: www.polluconlab.com, E. mail: pollucon@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.B/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0074
	Issue Date : 05/09/2023
	Customer's Ref. : P.O No: SWPL/22-23/0950009487, Date: 04.07.2022

Location of Sampling	: Canteen Of South West Port Limited
-----------------------------	---

Date of Sampling	: As per table	Protocol (purpose)	: Ambient Air Quality Monitoring
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Lab Id	: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT								LIMIT*	METHOD OF MEASUREMENT	
			03/08/2023	07/08/2023	10/08/2023	14/08/2023	17/08/2023	21/08/2023	24/08/2023	28/08/2023			31/08/2023
Date of Sampling			03/08/2023	07/08/2023	10/08/2023	14/08/2023	17/08/2023	21/08/2023	24/08/2023	28/08/2023	31/08/2023		
Lab ID SWP/2308 [A - D]			02	04	06	08	10	12	14	16	18		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	81.87	49.52	69.48	57.72	73.16	61.57	77.59	65.78	53.56	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	34.61	21.22	29.46	24.90	31.80	26.57	33.77	28.50	22.93	60	CPCB guidelines for AQAI (Vol. I, NAAQS/06/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	16.46	8.47	13.84	10.16	14.56	11.40	15.13	12.44	9.23	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO _x	µg/m ³	32.88	16.28	26.54	20.74	28.63	22.81	30.38	24.66	18.34	80	IS 5182 (Part-6)

 LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 11th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule III auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gwatri Farsan Mart, Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat
 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174, WEB: www.polluconlab.com, E: info@polluconlab.com




POLLUCON LABORATORIES PVT. LTD.
TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

 QF/7.8/41-AQ
 Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0095
	Issue Date : 03/10/2023
	P.O No: SWPL/23-24/ 0950011283, Date: 13.08.2023

 Location of Sampling : **Berth No. 5A of South West Port Ltd.**

 Date of Sampling : **As per table** Protocol (purpose) : **Ambient Air Quality Monitoring**
 Sampling By : **Pollucon Laboratories Pvt. Ltd.** Lab Id : **As per table**
RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			04/09/2023	07/09/2023	18/09/2023	21/09/2023		
Date of Sampling			04/09/2023	07/09/2023	18/09/2023	21/09/2023		
Lab ID SWP/2309 (A - D)			01	03	09	11		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	65.33	77.61	52.48	60.32	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	29.17	36.35	23.36	27.33	60	CPCB guidelines for AAQM (Vol. I, NAAQM/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	14.85	19.65	9.18	12.52	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	26.38	34.75	19.50	24.30	80	IS 5182 (Part-6)

 LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 10th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule III auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

 "Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Express Mart,
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07016605174, WEB: www.polluconlab.com, E. mail: pollucon@polluconlab.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.8/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. :	PL/SWP/23/0097
	Issue Date :	03/10/2023
	Customer's Ref. :	P.O No: SWPL/23-24/ 0950011283, Date: 13.08.2023

Location of Sampling :	Berth No. 6A of South West Port Ltd.
------------------------	---

Date of Sampling :	As per table	Protocol (purpose) :	Ambient Air Quality Monitoring
Sampling By :	Pollucon Laboratories Pvt. Ltd.	Lab Id :	As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT				LIMIT*	METHOD OF MEASUREMENT
			11/09/2023	14/09/2023	25/09/2023	28/09/2023		
Date of Sampling			11/09/2023	14/09/2023	25/09/2023	28/09/2023	LIMIT*	METHOD OF MEASUREMENT
Lab ID SWP/2309 (A - D)			05	07	13	15		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	69.19	56.84	81.54	73.44	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	32.48	25.90	38.81	34.45	60	CPCB guidelines for AAQM (Vol. I, NAAQMS/36/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	16.78	11.64	21.28	17.58	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	29.34	22.38	37.21	32.74	80	IS 5182 (Part-6)

 LIMIT*: Industrial, Residential, Rural and other Area Notification Dated 10th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- CPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.56, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Jaypr Farsan Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR AMBIENT AIR QUALITY MONITORING

QF/7.B/41-AQ

Page: 1 of 1

Customer's Name and Address :

M/s. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0096 Issue Date : 03/10/2023 P.O No: SWPL/23-24/ Customer's Ref. : 0950011283, Date: 13.08.2023
--	---

Location of Sampling	: Canteen Of South West Port Limited
----------------------	--------------------------------------

Date of Sampling	: As per table	Protocol (purpose)	: Ambient Air Quality Monitoring
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Lab Id	: As per table

RESULT TABLE

SR NO	TEST PARAMETER	UNIT	RESULT							LIMIT*	METHOD OF MEASUREMENT	
			04/09/2023	07/09/2023	11/09/2023	14/09/2023	18/09/2023	21/09/2023	25/09/2023			28/09/2023
Date of Sampling			04/09/2023	07/09/2023	11/09/2023	14/09/2023	18/09/2023	21/09/2023	25/09/2023	28/09/2023		
Lab ID SWP/2309 (A - D)			02	04	06	08	10	12	14	16		
1	Respirable Particulate Matter (PM ₁₀)	µg/m ³	85.27	63.62	76.45	59.34	72.15	55.12	67.84	80.21	100	IS 5182 (Part-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	38.54	29.79	34.40	27.87	32.85	25.48	31.59	36.45	60	CPCB guidelines for AQM (Vol. I, NAAQMS/06/2012-13)
3	Sulphur Dioxide as SO ₂	µg/m ³	20.18	13.30	17.74	11.67	16.94	10.80	14.47	18.30	80	IS 5182 (Part-2)
4	Oxides of Nitrogen as NO ₂	µg/m ³	37.36	25.36	33.20	23.92	30.75	20.61	28.89	35.24	80	IS 5182 (Part-6)

 LPMTE: Industrial, Residential, Rural and other Area Notification Dated 18th Nov.2009 as per national Ambient Air Quality Standards, CPCB New Delhi.

Ravi Jariwala
 Sr. Environmental Scientist

Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- CPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gayatri Farsan Mart, Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, info@polluconlab.com


Annexure-4: Stack monitoring reports

TEST CERTIFICATE FOR DG STACK MONITORING

QF/7.8/41-ST

Customer's Name and Address :

Page: 1 of 1

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0077
	Issue Date : 05/09/2023
	P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

DG STACK DETAILS

Location of Sampling	: DG Stack :1	Sampling Procedure	: As per table
Date of Sampling	: 15/08/2023	Protocol (purpose)	: DG Stack Monitoring
Time of Sampling in Hrs.	: 09:00 to 10:30	Lab ID.	: SWP/2308/08 (A1-E1)
Date of Starting of Test	: 17/08/2023	Date of Completion	: 21/08/2023
Sample Receipt Date	: 17/08/2023	Sampling By	: Pollucon Laboratories Pvt. Ltd.

Sr No**	: 25405878	Capacity**	: 2000 KVA
Fuel Used**	: High Speed Diesel	Make**	: Cummins
Temp	: 71 °C	Flow	: 3021 Nm ³ /Hrs
Velocity of Gas	: 4.96 m/sec	Stack Height**	: 30 meter
Stack Diameter**	: 0.5 Meter**	Area**	: 0.1963 m ²

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	37.80	75	IS 11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	4.52	--	IS 11255 (Part 2)
3	Oxides of Nitrogen as NO _x	ppm	25.66	1100	IS 11255 (Part-7)
4	Non Methyl Hydro Carbon (NMHC)	ppm	Not Detected	150	Gas Chromatography
5	Carbon Monoxide as CO	mg/Nm ³	2.71	150	CPCB guidelines for source emission monitoring - Digital Gas Analyzer
6	Sulfur Content in fuel	%	0.040	< 2.0	SOP : Sulfur Content

**Details provided by customer.

 Note: Detection Limit: Non Methyl Hydro Carbon (NMHC): 50 mg/m³
 Results on 15 % O₂ Correction when Oxygen is greater than 15 %


Ravi Jariwala
 Sr. Environmental Scientist


Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned over here.

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986 • GPCB approved schedule II auditor • ISO 14001 : 2004 • OHSAS 18001 : 2007 • ISO 9001 : 2008

 "Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gandri Farsan Mart,
 Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174, WEB: www.polluconlab.com, E. mail: polluconlab@gmail.com, info@polluconlab.com



TEST CERTIFICATE FOR DG STACK MONITORING

QF/7.8/41-ST

Customer's Name and Address :

Page: 1 of 1

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0078
	Issue Date : 05/09/2023
Customer's Ref. :	P.O No: SWPL/22- 23/0950009487, Date: 04.07.2022

“DG STACK DETAILS”

Location of Sampling	: DG Stack :2	Sampling Procedure	: As per table
Date of Sampling	: 15/08/2023	Protocol (purpose)	: DG Stack Monitoring
Time of Sampling in Hrs.	: 16:20 to 17:50	Lab ID.	: SWP/2308/08 [A2-E2]
Date of Starting of Test	: 17/08/2023	Date of Completion	: 21/08/2023
Sample Receipt Date	: 17/08/2023		
Sampling By	: Pollucon Laboratories Pvt. Ltd.		

Sr No**	: 25320203	Capacity**	: 1500 KVA
Fuel Used**	: High Speed Diesel	Make**	: Cummins
Temp	: 84 °C	Flow	: 4045 Nm ³ /Hrs
Velocity of Gas	: 6.90 m/sec	Stack Height**	: 30 meter
Stack Diameter**	: 0.50 Meter**	Area**	: 0.1963 m ²

RESULT TABLE

Sr. NO.	TEST PARAMETER	UNIT	RESULTS	LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	40.18	75	IS 11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	4.18	--	IS 11255 (Part 2)
3	Oxides of Nitrogen as NO ₂	ppm	21.14	1100	IS 11255 (Part-7)
4	Non Methyl Hydro Carbon (NMHC)	ppm	Not Detected	150	Gas Chromatography
5	Carbon Monoxide as CO	mg/Nm ³	2.23	150	CPCB guidelines for source emission monitoring - Digital Gas Analyzer
6	Sulfur Content in fuel	%	0.044	< 2.0	SOP : Sulfur Content

**Details provided by customer.

 Note: Detection Limit: Non Methyl Hydro Carbon (NMHC): 50 mg/m³
 Results on 15 % O₂ Correction when Oxygen is greater than 15 %


Ravi Jariwala
 Sr. Environmental Scientist



Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned hereon.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

 "Pollucon House", Plot No.56, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Gaytri Farsan Mart,
 Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 97016605174. WEB: www.polluconlab.com, info@polluconlab.com



TEST CERTIFICATE FOR DG STACK MONITORING

QF/7.8/41-ST

Customer's Name and Address :

Page: 1 of 1

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0079
	Issue Date : 05/09/2023
	P.O No: SWPL/22-23/0950009487, Customer's Ref. : Date: 04.07.2022

DG STACK DETAILS**

Location of Sampling :	DG Stack :3		
Date of Sampling :	15/08/2023	Sampling Procedure :	As per table
Time of Sampling in Hrs. :	10:40 to 12:10	Protocol (purpose) :	DG Stack Monitoring
Date of Starting of Test :	17/08/2023	Lab ID. :	SWP/2308/08 (A3-E3)
Sample Receipt Date :	17/08/2023	Date of Completion :	21/08/2023
Sampling By :	Pollucon Laboratories Pvt. Ltd.		

Sr No** :	25319660	Capacity** :	1500 KVA
Fuel Used** :	High Speed Diesel	Make** :	Cummins
Temp :	72 °C	Flow :	2758 Nm³/Hrs
Velocity of Gas :	4.55 m/sec	Stack Height** :	30 meter
Stack Diameter** :	0.5 Meter**	Area** :	0.1963 m²

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	57.18	75	IS 11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	3.36	—	IS 11255 (Part 2)
3	Oxides of Nitrogen as NO ₂	ppm	24.28	1100	IS 11255 (Part-7)
4	Non Methyl Hydro Carbon (NMHC)	ppm	Not Detected	150	Gas Chromatography
5	Carbon Monoxide as CO	mg/Nm ³	2.58	150	CPCB guidelines for source emission monitoring - Digital Gas Analyzer
6	Sulfur Content in fuel	%	0.037	< 2.0	SOP : Sulfur Content

**Details provided by customer.

 Note: Detection Limit: Non Methyl Hydro Carbon (NMHC): 50 mg/m³
 Results on 15 % O₂ Correction when Oxygen is greater than 15 %


Ravi Jariwala
 Sr. Environmental Scientist



Dr. Arun Bajpai
 Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

• Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986 • GPCB approved • ISO 14001 : 2004 • OHSAS 18001 : 2007 • ISO 9001 : 2008 • schedule II auditor

"Pollucon House", Plot No.5/6, Opp. Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Canal Farsan Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India.

 Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174. WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, jsw@polluconlab.com

TEST CERTIFICATE FOR DG STACK MONITORING

QF/7.8/41-ST

Page: 1 of 1

Customer's Name and Address :

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MARMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No. : PL/SWP/23/0081
	Issue Date : 05/09/2023
	P.O No: SWPL/22- Customer's Ref. : 23/0950009487, Date: 04.07.2022

DG STACK DETAILS**

Location of Sampling	: DG Stack :5	Sampling Procedure	: As per table
Date of Sampling	: 15/08/2023	Protocol (purpose)	: DG Stack Monitoring
Time of Sampling in Hrs.	: 14:00 to 15:30	Lab ID.	: SWP/2308/08 (A5-E5)
Date of Starting of Test	: 17/08/2023	Date of Completion	: 21/08/2023
Sample Receipt Date	: 17/08/2023	Sampling By	: Pollucon Laboratories Pvt. Ltd.

Sr No**	: 01/14/09/2763	Capacity**	: 250 KVA
Fuel Used**	: High Speed Diesel	Make**	: Cummins
Temp	: 94 °C	Velocity of Gas	: 5.53 m/sec

RESULT TABLE

SR. NO.	TEST PARAMETER	UNIT	RESULTS	LIMIT**	TEST/SAMPLING METHOD
1	Particulate Matter	mg/Nm ³	34.48	75	IS 11255 (Part-1)
2	Sulfur Dioxide as SO ₂	ppm	3.25	--	IS 11255 (Part 2)
3	Oxides of Nitrogen as NO _x	ppm	22.57	1100	IS 11255 (Part-7)
4	Non Methyl Hydro Carbon (NMHC)	ppm	Not Detected	150	Gas Chromatography
5	Carbon Monoxide as CO	mg/Nm ³	1.83	150	CPCB guidelines for source emission monitoring - Digital Gas Analyzer
6	Sulfur Content in fuel	%	0.038	< 2.0	SOP : Sulfur Content

**Details provided by customer.

 Note: Detection Limit: Non Methyl Hydro Carbon (NMHC): 50 mg/m³
 Results on 15 % O₂ Correction when Oxygen is greater than 15 %

Ravi Jariwala
Sr. Environmental Scientist

Dr. Arun Bajpai
Lab Manager(Q)

Note: This report is subject to terms & conditions mentioned overleaf.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Dnyanesh Ganesh Mart,
 Navjivan Circle,Udhana Magdalla Road, Surat-395007, Gujarat, India

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 97916605174, WEB : www.polluconlab.com, E. mail : pollucon@gmail.com, info@polluconlab.com



Annexure-5a drinking water analysis

POLLUCON LABORATORIES PVT. LTD.
TEST REPORT

QF/7.8/41-WT

Customer's Name and Address :

Page: 1 of 1

M/S. SOUTH WEST PORT LIMITED 1st FLOOR, PORT USERS COMPLEX, HARBOUR, MORMUGAO, VASCO DA GAMMA-403803, GOA	Test Report No.	: PL/SWP/23/0076
	Issue Date	: 05/09/2023
	Customer's Ref.	: P.O No: SWPL/21- 23/0950009487, Date: 04.07.2022

Description of Sample	: Berth No.06A*	Quantity/No. of Samples	: 01 Lit/One
Sampling Date	: 15/08/2023	Sampling Procedure	: Grab
Sampling By	: Pollucon Laboratories Pvt. Ltd.	Lab ID	: SWP/2308/08A
Sample Receipt Date	: 17/08/2023	Test Parameters	: As per table
Packing/ Seal	: Sealed	Date of Completion	: 22/08/2023
Date of Starting of Test	: 17/08/2023		

RESULT TABLE

SR NO	TEST PARAMETERS	UNIT	RESULT	REQUIREMENT (ACCEPTABLE LIMIT)	TEST METHOD
1	Odour	--	Agreeable	Agreeable	IS 3025 (Part 5)
2	Colour	Hazen	Not Detected	5.0	IS 3025 (Part 4)
3	Taste	--	Agreeable	Agreeable	IS 3025 (Part 8)
4	pH Value	--	7.41	6.5 to 8.5	IS 3025 (Part 11)
5	Turbidity	NTU	0.08	1.0	IS 3025 (Part 10)
6	Total Dissolved Solids	mg/L	173	500	IS 3025 (Part 16)
7	Total Hardness as CaCO ₃	mg/L	108	200	IS 3025 (Part 21)
8	Residual Free Chlorine*	mg/L	Not Detected	Min. 0.2	IS 3025 (Part 26)
9	Chloride as Cl	mg/L	24.49	250	IS 3025 (Part 32)
10	Fluoride as F	mg/L	Not Detected	1.0	IS 3025 (Part 60)
11	Iron as Fe	mg/L	Not Detected	0.3	APHA (23rd Edition) 3500 Fe B
12	Coliform	/100 ml	Absent	Absent	APHA 9221 D
13	Escherichia coli	/100 ml	Absent	Absent	IS 1622

NOTE: ABOVE ANALYSED PARAMETERS ARE WITHIN PRESCRIBED NORMS FOR ABOVE SAMPLE AS PER ACCEPTABLE LIMIT IS: 10500:2012 DRINKING WATER SPECIFICATION.

Detection Limit: Residual Free Chlorine: 0.1 mg/L, Fluoride as F: 0.05 mg/L, Iron: 0.05 mg/L, Colour: 1 mg/L.
 *Detail provide by Customer.

[Signature]
Dr. Arun Bajpai
 Lab Manager(Q)

[Signature]
Sweety Jain
 Microbiologist

[Signature]
H. T. Shah
 Lab. Manager

Note: This report is subject to terms & conditions mentioned overleaf.

*: To be applicable only when water is chlorinated.

- Recognized by MoEF, New Delhi Under Sec. 12 of Environmental (Protection) Act-1986
- GPCB approved schedule II auditor
- ISO 14001 : 2004
- OHSAS 18001 : 2007
- ISO 9001 : 2008

"Pollucon House", Plot No.5/6, Opp.Balaji Industrial Society, Old Shantinath Silk Mill Lane, Near Bhandari Eastern Mart, Navjivan Circle, Udhana Magdalla Road, Surat-395007, Gujarat, India

Phone : 0261-2635750, 0261-2635751, 0261-2635775, 07916605174, WEB: www.polluconlab.com, E-mail: pollucon@gmail.com, polluconlab.com





SOUTH WEST PORT LTD.

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa – 403 803.

CIN : U45203GA1997PLC002369

Phone : 0832 252 3000

Fax : 0832 252 3006

Website : www.jsw.in

Annexure-5b: Mock drill

South West Port Limited,Goa							
Mock Drill Review Format							
Doc No: F-EHS-07	Revision : 00	Issued : JAN 2018			Page No. : 1/1		
Mock Drill Review Format							
Date	04.10.2023						
Time	22:31 Hrs						
Type of emergency situation considered for the Mock Drill	No. of Participants	Actions Non Adhering to the norms	Improvements Suggested by the observer	Action Proposed to achieve effectiveness of improvement suggested with target Date	Responsibility	Target Date	Sign of the Observer
CRISIS LEVEL I ELECTROCUTION (one Worker got electrocution Near JH-1 Electric Panel)	13	Electrician came little late	Electrician to be mobilised immediately to the incident place	Training on EPP will be provided to Electrician	Mr Libin Baby	07.10.2023	
		Communication passed between the security guard and process control is not distinct and clear	Informations should be passed to Process Control Room in precise, clear & loud tone.	Training on EPP will be provided to security personnel	Mr Libin Baby	07.10.2023	
		Channel 2 on walkie talkie is not manned during emergency at security gate	During emergency, channel 2 to be maintained for internal communication between security team, Jetty officer and Process control Room	Training on EPP will be provided to security personnel	Mr Libin Baby	07.10.2023	

Annexure-6: Newspaper article

NOTICE

The Ministry of Environment, Forest & Climate Change (MoEF&CC) has accorded Environment Clearance (EC) to South West Port Limited, Goa vide F. no. 10-5/2015-IA-III [E-93155] on 11.01.2023 for its "Proposed Terminal Capacity Enhancement at Berth nos. 5A-6A of Mormugao Port." The EC document is available on the PARIVESH portal of the MoEF&CC.

The website link is http://164.100.213.216/E-Sign/Esign/ECL_AUTH_139260_IA_GA_MIS_26758_2015.pdf

भौशीक कळोवणी

"मुरगांव बंदराच्या बर्थ क्र. 5ए-6ए हांगा प्रस्तावीत टर्मिनल क्षमता वाढोवपा खातीर" पर्यावरण, रान आनी हवामान बदल मंत्रालयान (एमओईएफ आनी सीसी) 11.01.2023 दिसा एफ.क्र.10-5/2015-IA-III (ई-93155) वरवीं दक्षीण पश्चीम बंदर लिमिटेड, गोंयाक पर्यावरण मंजूती (ईसी) दिल्या. ईसी दस्तावेज एमओईएफ आनी सीसीच्या परिवेश पोर्टलाचेर उपलब्ध आसा. रॉबसायट लॉक http://164.100.213.216/E-Sign/Esign/ECL_AUTH_139260_IA_GA_MIS_26758_2015.pdf



SOUTH WEST PORT LTD.

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa - 403 803.

CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in

Annexure-6a: EC copy submitted to Collectorate office:



SOUTH WEST PORT LTD.
Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa - 403 803
CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in

Date: 20/02/2023

To,
THE COLLECTOR,
South Goa.


Subject: Permission to display Environment Clearance dated 09.01.2023 granted by Ministry of Environment, Forest and Climate Change on your office notice board.

Ref: Clause (ix) of the General Conditions of the Environment Clearance dated 09.01.2023 granted by Ministry of Environment, Forest and Climate Change on your office notice board.

Respected Sir,

1. South West Port Ltd. (SWPL) operates berth 5A and 6A at the Mormugao Port Authority (MPA) earlier known as Moemugao Port Trust (MPT), one of the major ports in India.
2. SWPL had proposed to the Ministry of Environment, Forest and Climate Change (MOEF) for grant of Environmental and CRZ clearance (EC) in terms of the provisions of Environment Impact Assessment (EIA) Notification 2006 and Coastal Regulation Zone (CRZ) Notification 2011.
3. That the MOEF was pleased to grant the said EC to SWPL vide letter dated 09.01.2023, with certain conditions.
4. Clause (ix) of the General conditions reads as under:

"The clearance letter shall also be displayed at the regional office, District Industries Centre and Collector's Office/ Tehsildar's office for 30 days".



In view of the above prospects, it is therefore humbly requested your good office kindly permit us to display the EC on the notice board of your good office for a period of 30 days from the date of grant of such permission to display.

Thanking you

Yours Faithfully

Authorized signatory for SWPL



Enclosed: Copy of the Environment Clearance dated 11.01.2023.



Annexure-6b: EC copy submitted to Goa State Pollution Control Board:

**SOUTH WEST PORT LTD.**

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa – 403 803.
CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in



Dhananjay Shet <dhananjay.shet@jsw.in>

SWPL Environment Clearance for capacity enhancement reg.

1 message

Dhananjay Shet <dhananjay.shet@jsw.in>

Thu, Jan 12, 2023 at 5:57 PM

To: ms-gspcb.goa@nic.in

Cc: chairman-gspcb.goa@nic.in, "Capt. Anurag Bhagauliwal" <anurag.bhagauliwal@jsw.in>, Anthony Fernandes <anthony.fernandes@jsw.in>

Bcc: dhanu.shet85@gmail.com

Respected madam,

Greetings from South West Port Limited.

This is to inform you that the MoEFCC has granted EC to South West Port Limited for capacity enhancement at Berth 5a & 6a of South West Port Limited on 11/01/2023.

As per clause ix of EC under general condition, a copy of environment clearance letter shall also be displayed on the website of the concerned State Pollution Control Board.

We request your good office to kindly update the EC on the GSPCB website.

Attached is the EC copy for your kind perusal, also find URL of EC granted on PARIVESH: http://164.100.213.216/E-Sign/Esign/ECL_AUTH_139260_IA_GA_MIS_26758_2015.pdf

--

Regards,

Dhananjay Shet | Manager EHS | South West Port Limited

1st Floor, Port Users Complex, Mormugao Harbour - 403803 | Goa | India

Mob: +919765989886 | Tel No: 0832 -2523000 Extn: 223

web site : www.jsw.in

 Infrastructure

 1 SWPL EC Capacity Enhancement 09.01.2023.pdf
4672K






SOUTH WEST PORT LTD.

Regd. Off: Site Office Building,
Berth No. 5A & 6A, Mormugao Harbour,
Goa – 403 803.
CIN : U45203GA1997PLC002369
Phone : 0832 252 3000
Fax : 0832 252 3006
Website : www.jsw.in

Annexure-6c: EC copy submitted to NGOs through AD who has made representation:



Shot on OnePlus
Powered by Quad Camera

