

Amba River Coke Limited

Dolvi Works: Geetapuram, Taluka Pen, Dist Raigad (Maharashtra),

Dolvi - 402 107

CIN. : U23100MH1997PLC110901

Phone : 02143 277501 - 14 Fax : 02143 277533 / 42

BY COURIER

April 15, 2020

ARCL/Pellet/ENV/MoEF&CC/2020

To

The Regional Officer
Ministry of Environment, Forest and Climate Change
Regional Office (WCZ), Ground Floor
East Wing, New Secretariat Building,
Civil Line, Nagpur-440001

Sub:

Submission of six monthly Compliance report of Environmental Clearance for Pellet Plant of capacity 4 MTPA at M/s. Amba River Coke Ltd. at Geetapuram, Village Dolvi, Tehsil Pen, District Raigad in Maharashtra.

Ref:

i) MoEFCC Letter - F No J-11011/166/2011-IA-II(I) dated 21st October 2013

Dear Sir,

With reference to above, please find enclosed herewith six monthly Compliance report of Environmental Clearance for Pellet Plant of capacity 4 MTPA at M/s. Amba River Coke Ltd. at Geetapuram, Village Dolvi, Tehsil Pen, and District Raigad in Maharashtra.

This is for your kind information & record please.

Thanking you,

Yours faithfully, For Amba River Coke Limited

Dr. Anand Rai

General Manager (Head - Environment)

CC:

1) The Director, MoEF&CC, Indira Paryavaran Bhawan, Jor Bagh, Lodi Road, New Delhi-110003.

2) The Zonal officer, CPCB, Parivesh Bhawan, Opp. VMC Ward Office No. 10, Subhanpura, Vadodara-390 023, Gujarat.

3) The Regional Officer, MPCB, Raigad, Raigad Bhavan, CBD Belapur, Navi Mumbai

Regd. Office: JSW Centre, Bandra Kurla Complex, Bandra(E), Mumbai - 400 051.

Phone : +91 22 4286 1000 Fax : +91 22 4286 3000



F. No. J-11011/166/2011-IA-II (I) Government of India Ministry of Environment and Forests (I.A. Division)

Paryavaran Bhawan CGO Complex, Lodhi Road New Delhi – 110 003

E-mail: gkk37@rediffmail.com Telefax: 011: 2436 4592

Dated: 21st October, 2013

To

The President, M/s Ispat Industries Limited Geethapuram, Village Dolvi, Tehsil Pen, District Raigarh, Maharashtra - 402 107

Fax: 02143-277528; E-mail: narendra sharma@ispatind.com

Sub: Expansion from 3.0 MTPA to 5.0 MTPA Integrated Steel Plant along with installation of Pellet Plant -4.0 MTPA and 300 MW Captive Power Plant at Geethapuram, Village Dolvi, Tehsil-Pen, District-Rajgarh in Maharashtra by M/s JSW Ispat Steel Limited (formerly M/s Ispat Industries Limited)-regarding Environment Clearance

Ref. : (i) Ministry's EC letter of even no. dated 21.11.2012

(ii) Your letter No. JSWISL/ENV/MOEF/2012 dated 25.12.2012

Sir,

This is in continuation of this Ministry's Environment Clearance (EC) referred above and your letter under reference, wherein you have requested that M/s JSW Ispat Steel Limited will look after the 5.0 MTPA Integrated Steel Plant along with 300 MW Captive Power Plant and M/s. Amba River Coke Limited will look after the 4.0 MTPA Pellet Plant project.

- 2. The Ministry of Environment and Forests has examined the request submitted by you. It is noted that MoEF has accorded environmental clearance vide letter of even no. dated 21.11.2012 for expansion of existing Integrated Steel Plant from 3.0 to 5.0 MTPA along with 300 MW Captive Power Plant. Pellet Plant (4.0 MTPA) which was a part of the expansion project.
- 3. It was noted that the 5.0 MTPA Integrated Steel Plant along with 300 MW Captive Power Plant will be looked after by the M/s JSW Ispat Steel Limited and 4.0 MTPA Pellet Plant project will be looked after by the M/s. Amba River Coke Limited. Further, it was noted that there will be no change in the scope of the project with respect to enhancement of capacity (or) installation of any additional system.

- 4. It is to inform that M/s JSW Ispat Steel Limited shall look after the 5.0 MTPA Integrated Steel Plant along with 300 MW Captive Power Plant and M/s. Amba River Coke Limited shall look after the 4.0 MTPA Pellet Plant project subject to the condition that both the companies will comply with all the conditions stipulated by the vide EC of even no. dated 21.11.2012. Further, both the companies shall submit the six monthly compliance reports on regular basis for all the stipulated conditions.
- 5. This issues with the approval of the Competent Authority.

thy out 21/10/13

(Dr.K.K.Garg)
Director(S)

- 1. The Secretary, Department of Environment and Forests, Govt. of Maharashtra.
- 2. The Chief Conservator of Forests (Central), Ministry of Environment & Forests, Regional Office, Link Road No.3, E 5, Arera Colony, Bhopal 462 016.
- 3. The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar New Delhi 110 032.
- 4. The Chairman Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th Floor, Sion Matunga Scheme, Road No.8, Opp. Cine Planet Cinema, Near Sion Circle, Sion(East), Mumbai- 400 022.
- 5. Monitoring Cell; Ministry of Environment & Forests, New Delhi,

6. Guard file / Record file.

(Dr.K.K.Garg) Director(S)

COMPLIANCE CONDITIONS OF File No J-11011/166/2011-IA-II (I) dated 21st October 2013.

Sub: Expansion from 3.0 MTPA to 5.0 MTPA Integrated Steel Plant along with installation of Pellet Plant - 4.0 MTPA and 300 MW Captive Power Plant at Geethapuram, Village Dolvi, Tehsil Pen, District Raigad in Maharashtra by M/s JSW Steel Limited.

Ref: Environmental Clearance for Pellet Plant, Capacity 4 MTPA at Amba River Coke Ltd vide letter No J-11011/166/2011-IA-II (I) dated 21st October 2013.

Sr.	ENVIRONMENTAL CLEARANCE	COMPLIANCE STATUS AS ON		
No.	CONDITIONS	March, 2020		
1	Waste gases from Blast furnace and coke ovens will be utilised for power generation. Fugitive emissions from raw material handling section will be suppresses by dry fogging system / water sprinkling.	 Waste Gas from BF is used in 55 Mic Captive Power Plant. Installed Bag filters at Junction houses of raw material handling section Also dust suppression by dry for systems / water spraying system was provided at RMHS and oth applicable areas. 		
2	The makeup water requirement for the proposed expansion will be 2,590 m³/day and the existing consumption is 833.3 m³/day, which shall be sourced from the State Water Resources Dept. from Nagothane dam at K.T. Bandhara. Maximum recycling of wastewater will be done after treatment to achieve zero discharge. Treated wastewater will be used for dust suppression and green belt development. Effluent streams such as cooling tower blow down, floor washings etc. will be used for fugitive dust suppression, water sprinkling etc. Sewage will be treated in septic tanks. Bag filter dust will be recycled in the process. Blow down water from power plant will be reused in steel melting shop slag yards for spraying on hot slag. Blow down water from Blast furnace recirculation system will	 The makeup water requirement for the proposed expansion is limited to 2590 m3/hr (inadvertently mentioned as m3/day) besides the existing consumption for 3 MTPA plant The water is sourced from the Nagothane dam at K.T. Bandhara as per the allocation from the Water Resources Department of Maharashtra. Treated waste water & cooling tower blow down (CTBD) are used for dust suppression, slag cooling & plantation. There is no waste water discharge form the plant. Sewage is treated in septic tanks & STPs & reused for gardening. Bag Filter dust is recycled & reused in the process of Sinter & Pellet Making. Blow down of power plant is used in 		



	be reused in the slag granulation plant as make up water to SGP recirculation water system. Treated waste water from coke oven by products plant will be used in the system itself.	 SMS slag recovery plant for dust suppression. Blow down water from Blast furnace 1 recirculation system is reused in the slag granulation plant as make up water to SGP recirculation water system. Treated water from Coke oven by product is used in coke quenching 	
3	BF slag will be granulated and used for cement manufacturing. Slag from SMS production will be used in the sinter plant, in land / road / area development or for manufacturing of insulated bricks etc. Mill scale, flue dust from the blast furnace, dust from the bag filters will be used in Sinter plant. All pumps and motors will be selected from less noise generating types. Ear plugs will be provided to employees working in high noise prone areas. DG set will be provided with silencer.	 product is used in coke quenching 100% granulated slag of Blast furnace 1 is used in Cement Plant for making of Cement in JSW Group Company. SMS- EAF slag is used in the sinter plant, in internal roads / land filling / area development Mill scale, flue dust from Blast Furnace 1, dust from Bag Filters used in Sinter plant / GCP dust from SMS 1 in Pellet plant Low noise level pumps and motors are used. Ear plugs provided to employees working in high noise prone areas. DG set provided with silencer 	
4	All the integrated steel plant are listed as S.No 3 (a) as Primary Metallurgy Industries under category A of the Schedule of EIA Notification 2006 and appraised by the Expert Appraisal Committee (Industry-I) of MoEF.	Noted	
5	The proposal was considered by the expert Appraisal Committee -1 (industry) in its 37 th Meeting held during 14 th and 15 th June 2012. The Committee recommended the proposal for Environmental clearance subject to stipulation of specific conditions along with other environmental conditions. Public hearing was conducted on 28.02.2012.	Noted	
6	Based on the information submitted by you, presentation made by you and consultant, M/s. MECON Limited., Ranchi, the Ministry of Environment and Forests hereby accords Environmental clearance to the above project under the provision of EIA Notification dated 14th September 2006 subject to strict compliance of the following	Noted & shall be complied	



specific and general conditions. Specific Conditions: Measures shall be undertaken to mitigate Adequate dust control measures have particulate levels in the ambient air and a been provided to all the units to time bound action plans shall be submitted. mitigate particulate levels in the On-line ambient air quality monitoring with ambient air and all environmental proper O&M and continuous monitoring parameters are well within monitoring facilities for all the process the prescribed standards as per the stacks shall be provided and sufficient air Consent granted by MPCB. pollution control devices viz. Electrostatic Five Continuous Ambient Air Quality precipitator (ESP), gas cleaning plant, Monitorina stations have been scrubber, bag filters etc. shall be provided installed in consultation with MPCB. to keep the emission levels below 50 All these stations are connected to mg/Nm3 by installing energy efficient URL of MPCB & CPCB & data is technology. being transmitted online on real time basis for PM2.5, PM10, SO2, NOx & CO with proper O&M Continuous Stack Emission Monitoring systems are installed at all major stacks & connected to URL of MPCB & CPCB & data is being transmitted online on real time basis. Electrostatic precipitator (ESPs), gas cleaning plants, scrubbers, bag filters etc. are provided to all units & PM levels are well within the prescribed MPCB Consent norms as per conditions. ii proposed, Electrostatic Electrostatic precipitator provided to precipitator (ESP) shall be provided to sinter / Pellet Blast Furnace 1, Sinter Plants & plant, WHRB, DE Plants and dust catcher Pellet plant. followed by venturi scrubbers to blast Cast House Fume Extraction System. furnace to control SPM levels within 50 WHRB, DES and dust catcher mg/Nm3. Fume extraction system shall be followed by venturi scrubbers to Blast provided to induction furnaces to control Furnace are provided & emission the emissions within the prescribed level well with in the prescribed standards. standards. There is no Induction Furnace, but in the Steel Melt Shop 1 (SMS1), Gas Cleaning Plants with bag filters having primary and secondary fume extraction systems have been provided & emission level well with in the prescribed standards. iii The National Ambient Air Quality Being complied Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November,



9	2009 shall be followed.	24
iv	Gaseous emission levels including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/Code of Practice issued by the CPCB shall be followed. New standards for the sponge iron plant issued by the Ministry vide G.S.R. 414(E) dated 30th May, 2008 should be followed.	Adequate measures have been taken to control the gaseous emission levels including secondary fugitive emissions at Blast Furnace 1 - Cast House with Bag filters and Gas Cleaning Plants for Electric Arc Furnace (EAF) of SMS1 from all the sources and are well within the permissible limits issued by the Ministry and regularly monitored. A new standard for the sponge iron plant
V	Total makeup water requirement for expansion shall not exceed 2,590 KLD. Efforts shall further be made to use maximum water from the rain water harvesting sources. Use of air cooled condensers shall be explored and closed circuit cooling system shall be provided to reduce water consumption and water requirement shall be modified accordingly. All the effluent should be treated and used for ash handling, dust suppression and green belt development. No effluent shall be discharged and 'zero' discharge shall be adopted. Sanitary sewage should be treated in septic tank followed by soak pit.	 issued by the Ministry is being followed. The makeup water requirement for the proposed expansion is within the water allocated and less than 2590 m3/hr. Roof Top Rain water harvesting system have been implemented. Closed circuit cooling towers are provided to optimize water consumption. All effluent is treated & recycled in the process and reused in slag cooling, dust suppression & plantation purpose. No waste water is discharged to outside the plant premises except run off during monsoon. Septic tank followed by soak pit and STP (3 Nos.) provided for sewage
vi	Efforts shall be made to make use of rain water harvested. If needed, capacity of the reservoir should be enhanced to meet the maximum water requirement. Only balance water requirement shall be met from other sources.	 treatment. Roof top Rain water harvesting system has been established (at 12 various buildings of Oxygen Plant, Coke Oven, Power Plant, MRSS and Admin.) The harvested rain water is being used in the cooling towers as make up water.
vii	Regular monitoring of influent and effluent surface, sub-surface and ground water (including chromite) should be ensured and treated wastewater should meet the norms prescribed by the State Pollution Control Board or described under the E (P) Act whichever are more stringent. Leachate study for the effluent generated and analysis shall also be regularly carried out and report submitted to the Ministry's	 Regular monitoring of influent and effluent surface, sub-surface and ground water is being done by MoEF approved and NABL accredited labs & the results of all parameters are well within the prescribed standards Analysis reports are being regularly submitted to the Regional Office, MoEF&CC, MPCB & CPCB.



	Regional Office at Bhopal, SPCB and CPCB.		
viii	The water consumption shall not exceed as per the standard prescribed for the steel plants.	Water consumption is well within the prescribed norms & CREP guidelines for the steel plants (less than 5 m³/ton of crude steel)	
		Specific water consumption for 2019-20 was 3 M ³ /Ton of crude steel.	
ix	Vehicle pollution due to transportation of raw material and finished products shall be controlled. Proper arrangements shall also be made to control dust emissions during loading and unloading of the raw material and finished product.	 Transportation of raw material is mainly through sea route to captive jetty and further to the steel plant via closed conveyors. Rs 71.5 Crores have been spent for covered shed for storage of raw material at Jetty & RMHS to controt the dust emission Transportation of finished products is mainly by rail. Adequate dust suppression systems have been provided to control dust emissions during loading and unloading of the raw material and finished product. 	
X	All internal roads shall be black topped. The roads shall be regularly cleaned with mechanical sweepers. A 3 tier avenue plantation using native species shall be developed along the roads.	 All internal roads are concreted & Vacuum based road sweeping machines and mist type mobile water tankers are provided for control of road emissions. Avenue plantation using native species have been planted along the roads. 	
xi	Proper handling, storage, utilization and disposal of all the solid waste shall be ensured and regular report regarding toxic metal content in the waste material and its composition, end use of Solid/hazardous waste should be submitted to the Ministry's Regional Office at Bhopal, SPCB and CPCB.	Proper handling, storage, utilization and disposal of all the solid wastes like Iron ore fines, coke fines, fluxes and scales generated from the plant is used in Sinter Plants & Pellet Plant. The report of Solid wastes and Hazardous wastes generation and disposal are regularly submitted as mentioned below. MPCB - Once in three months, also as & when required, MOEF&CC, Nagpur & Delhi – Once in Six month, CPCB, New Delhi – on Monthly Basis	



xii	Proper embankment shall be provided for	- Dropor probables set and its late
	the sludge disposal area.	 Proper embankment provided to contain sludge at all generating points- Sponge Iron Plant, Blast Furnace 1 and HSM 1. Sludge's are used in sinter making
		process
xiii	Risk and Disaster Management Plan along with the mitigation measures shall be prepared and a copy submitted to the Ministry's Regional Office at Bhopal, SPCB and CPCB within 3 months of issue of environment clearance letter.	Risk and Disaster Management plan is prepared and has been already submitted to MoEF&CC in 2012.
xiv	As proposed, green belt shall be developed in 33 % of plant area as per the CPCB guidelines in consultation with the DFO.	 The expansion of the steel plant from 3 to 5 to 10 MTPA in contiguous to earlier facilities, Accordingly, Green Belt is being developed and 33% green belt shall be completed in and outside premises as recommended by the EAC, MoEF&CC in the next 5 years once the expansion projects are completed. Rs 4.64 Crores spent for plantation for inside and outside the plant premises for the year 2019-20. This includes mass plantation drive for a target of One Million tree plantation at outside the premises & nearby villages. Plantation details up to March 2020 Big Trees: 202458 Nos. Shrubs / Ground Covers: 560500 Nos Lawn Development: 3632043.88 Sq. Ft. Programs for making people aware of importance of plantation are being done through Gram-Panchayat.
XV	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Steel Plants should be implemented.	Being Complied
xvi	The company shall adopt well laid down corporate environment policy and identified and designate responsible officers at all levels of its hierarchy for ensuring adherence to the policy and compliance with environmental clearance,	Environment Policy is in place and being complied in adherence to Environmental Clearance, Environmental Laws and regulations.



	environmental laws and regulations.		
xvii	All the commitments made to the public during the Public Hearing / Public Consultation meeting held on 28th February, 2012 should be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Bhopal.	Being Complied	
xviii	At least 5 % of the total cost of the project should be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal. Implementation of such program should be ensured accordingly in a time bound manner.	 CSR activities in various sectors are being done in the surrounding villages and a time bound action plan for various CSR activities have been submitted to MoEF&CC as per EAC recommendation of 2.5% of project cost. Rs 8.62 crores spend on CSR for 2019-20 for JSW Steel Ltd Rs 17.01 Crores budgeted for CSR activities for 2020-21. The details are attached separately in Annexure I. 	
xix	The company shall provide housing for construction labour within the site with all necessary Infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Complied	
i	The project authorities must strictly adhere to the stipulations made by the Maharashtra State Pollution Control Board and the state government.	by Maharashtra Pollution Control	
ii	No further expansion or modification in the plant shall be carried out without prio approval of the ministry of Environment and Forests.	All expansion activities are being done after obtaining prior EC from	
iii	The gaseous emission from various process units shall conform to the load/mass based standards notified by this ministry on 19 th may, 1993 and standards prescribed from time to time. The State Boards may specifimore stringent standards for the relevant	measures have been provided to each unit of the plant and the Gaseous emissions from the process units are well within the prescribed standards	



	manage of any live and the state of the stat	
	parameters keeping in view the nature of the industry and its size and location.	
iv	At least four ambient monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM10, SO2 and NOx are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this ministry including its regional office at Bhopal and the SPCB/CPCB ones six months.	 Five Continuous Ambient Air Quality Monitoring stations have been installed in consultation with MPCB. All these stations are connected to URL of MPCB & CPCB & data is being transmitted online on real time basis for PM2.5, PM10, SO2, NOx & CO. 22 Nos. Continuous Stack Emission Monitoring systems are installed at all major stacks & connected to URL of MPCB & CPCB & data is being transmitted online on real time basis. Data on Stack Emission, Ambient Air Quality and Work Environment Air Quality are being submitted to; MPCB - Once in three months, MOEF&CC, Nagpur & Delhi — Once in Six month CPCB, New Delhi — Monthly basis
V	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th may, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilised for plantation purpose.	Being Complied
Vİ	The overall noise level in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level should conform to the standards prescribed under EPA rules, 1989 viz. 75dBA (daytime) and 70 dBA (night time).	 Adequate noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation have been provided & measured noise level are well with in prescribed standards. The ambient noise level is well within the standards prescribed under EPA rules, 1989 viz. 75dBA (daytime) & 70 dBA (night time).
vii	Occupational health surveillance of the workers should be done on a regular basis and records maintained as per the factory Act.	As per the Factories Act, regular health surveillance done for the workers and employees & records are maintained on regular basis
viii	The company shall develop surface water harvesting structure to harvest the rain water	
	The second secon	Special to being implemented and the



	for utilization in the lean season besides recharging the ground water table.	harvested rain water is being used in the cooling towers. Since the water table is very high, therefore recharging ground water table is not being done.
ix	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, drinking water supply and health care etc.	 Environmental protection measures & safeguards recommended in EIA/EMP report are being complied. Socio – economic development activities / programmes like supply of drinking water, health care camp & community development programmes are being carried out on regular basis and will be continued as per plan.
X	Requisite amount shall be earmarked towards capital cost and recurring cost/annum for environment pollution controls measures to implement the conditions stipulated by the ministry of environment and forest as well as the state Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the regional office of the ministry of the Bhopal. The funds so provided shall not be diverted for any other purpose.	Requisite amount is earmarked towards capital cost and recurring cost/annum for environment pollution controls measures to implement the conditions stipulated by the MoEF&CC as well as the State Government.
xi	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila parishad /municipal corporation, Urban local body and the local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	Complied A copy of clearance letter is already submitted to concerned Panchayat, Zillah Parishad/Municipal Corporation, Urban Local Body and the local NGO vide letter JSWSteel/No Objection/2012 dated 23/11/2012.
XII	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitoring data on their website and shall update the same periodically. It shall simultaneously be sent to the regional office of the MOEF at Bhopal. The respective zonal office of the CPCB and the CECB. The criteria pollutant levels namely; PM10, SO2, NOx (ambient levels as well as stack emission) or critical sectoral parameters, indicated project shall be monitored and displayed at a convenient location near the	




	main gate of the company in the public	
	domain.	
xiii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the regional office of MoEF, the respective Zonal office of CPCB and the SPCB. The Regional office of this Ministry at Bhopal / CPCB / SPCB shall monitor the stipulated conditions.	Being Complied. Six monthly Environmental Monitoring Report submitted to Regional Office of MoEF&CC, Nagpur vide letter JSWSL/ENV/MoEFCC/2020 dated April 10, 2020.
xiv	The Environmental Statement for each financial year ending 31st March in Form V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance conditions and shall also be sent to the respective Regional Office of the MoEF at Bhopal by e-mail.	Being submitted regularly Last report submitted to MPCB vide MPCB on line portal on 12 th September 2019.
XV	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment and Forests at http/moef.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locally concerned and a copy of the same should be forwarded to the Regional Office, Bhopal.	Advertised in Indian Express on 23/11/2012 Kurshiwal on 23/11/2012
xvi	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of concerned authorities and the date of commencing the land development work.	Complied
11	The ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
12	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted



13	The above conditions shall be enforced,	Noted
	inter-alia under the provisions of the Water	
	(Prevention and Control of Pollution) Act	
	1974, the Air (Prevention and Control of	
	Pollution) Act 1981, the Environment	
	(Protection) Act 1986, Hazardous Wastes	
	(Management, Handling and Transboundary	
	Movement) Rules 2008 and the Public	
	(Insurance) Liability Act 1991 along with their	
	amendments and Rules.	





CSR Budget 2020-21

Company ⇒	Amba Rive	er Coke Ltd.
Program ↓	2019-20 Exp (Rs in Lacs)	Budget 20-21 (Rs in Lacs)
Rural Infrastructure	41.31	61.00
Water Conservation	14.88	95.61
Agriculture	0.35	0.00
Health		0.00
IGP Promotion		2.00
Education & Skill Development	18.95	46.00
Environment Sanitation & Waste Management)	88.41	120.50
Social Inequalities		0.00
вро	57.67	150.00
Sports Sports		
COVID19 (PMF)	300.00	0.00
Admin Cost		25.03
Total	521.57	500.14



